12

Acalypha Virginica, L.

M. Stoneham. Numerous depauperate plants a few inches high on the sandy shore East side of the North Reservoir. Oct. 6/94.

Coll H.

Jan. 95. M. A. Kell.

Acalypha Virginica, L. 3

B. Aug 11 94 Mg. Road N. Sullivan's Quarry. coll fl. W.D.
Aug 11 94 B. Mg. O. E & W. Babel Rock.
Br. Aug 4. 94 Mg, o. Road & Melrose Res'voir

1-3

Acalypha Virginica, L.

B. C., W. Quincy 1894.

M. S. Bb

B. 7 ^Dcoll ff. 3 sandy soil, roadsides.

Acer dasycarpum, Ehrh. var Wilsii

94. B. Mg. planted at home on Randolph Ave

B. n. Hunter

1

Acer Pennsylvanicum, L.

1887, Hist. Milton. Blue Hills.
1895. B. (G.G.K. in Herb.)

B. n. in Herb. G.G.K.

Acer platanoides L. 1

B 94. Aug 23. Hy. Planted at house & Canton Ave entrance

B., 2., M. L., BB plantes

5 336

Acer rubrum. L. Red Maple

This tree is more frequent than any other in the swampy ground, and wet runs, is found also in the dryer land near swamps and also occasionally with other trees on the hill slopes. Fire usually kills the younger trees. Stumps sprout well but not as freely as the chestnut or red oak and the sprouts are not as likely to make good trees. On dry land they are overtopped by the

other trees, in wet land they grow because other trees can not.

The finest single trees are on the knoll on the south side of Pine Tree Brook valley and the finest forest trees are in Balsted Brook valley from the pools to the edge of the reservation.

B. 9 r. Aug. 11. Mq. . F.C. valley S.W. Rattlesnake
B. 9 r. Sept. 1. Mq o. Road W. Bobbel Rock
B. 9 r. Aug. 21 Mq. o. S'slope Buck Hill

3

Acer rubrum, L.

95.Feb.13.Rec'd from J.B.Churchill,

B. C. In Herb. W. Q., 1890.
June 10, 1894, "

Acer rubrum?, L.

94, M, Mg. growing under similar conditions to those in B.

94. S. Mg. growing under similar conditions to those in B.

94 B.B. Mg. A fine tree is to be found near the Superintendent's house.

Acer rubrum, L.

1-7

B. B. 182. [illegible]

M 94. Aug. 7. Mg. 3. In pool NW. Cascade.

Acer rubrum, L.

BV. C. in damp places throughout reservation

N. 94. NW. 28. Ky. C. bog NW-Cranberry Bog

4

Acer rubrum, L.

Marshland Middlesex Falls, Summit Mountain Canyon E'2, just west of Pine Hill.

1-9

Acer saccharinum, Wang.

Acer saccharinum, Wang.

B. r. A few trees grow in W. Q. about Sq-R- I have not seen the tree elsewhere -
Fl. & Fr. from this loc. in Herb.
May 10, July 4, 1891.

Acer saccharinum

B. 94. Aug. 11. Mg. o. valley N.W. Rattlesnake

B. 94 Aug 23. Mg. not seen — Nonotuck Valley or Hoyt's valley

M. 94. Aug. 4. Mg. r. woods NW. Cascade

B. 94. VIII. 11 Mg	Valley N. Fenno	coll Cf	LLD
B. 94. VIII. 21. Mg	Witch Hazel Run	coll Cf.	LLD

Acer saccharinum, Wang

94. B. B. My 9 Planted near the superintendent's house.

Acer saccharinum, Wang.

W. C. was shown a small tree in woods.

M. 94. Aug 19. W. P. R. Stoneham Lobby woods
West border of Spot Pond. Col. 14

W. P. Rich.

Acer saccharinum, Wang?

Rather thriving between the Falls, ~~Feb. 1885~~
~~near~~ Nowlens Mill, & the Red Bluffs, a considerable
Constituent of the growth.

Acer saccharinum, Wang

Found wild in a similar position in several localities. The largest trees are in the wood at the south end of Owen wall & seedlings are springing up about there

M. 94. XI. 28. Mg. r. Edge & rod NW the Causeway

" " " " " r. N.E. little Neck

M. 95. i. 15. Mg. f. S end Owen's Walk

Small trees and sprouts noted on Stony Brook on the meadow N.W. Hold Knob

Acer saccharinum Wang. var. nigrum

Small patches of what appeared to be this variety were noted in two places growing in shade and among rocks, at the base of hilly slopes.

1-c

Achillea Millefolium, L.

M. c. in wood-roads, paths, fields and in
open woods near West side Taylor Mt.
The heads form observed in mid-mud.
K-3. July 7/94.

W. P. Peck.

B. Aug. 94 Mg. O. N. Babel Rock
M. Aug 4. 94 Mg. 7. near road NW-Carmel
M. Jl. 28. 94 Mg. about rock E Long's house

Achillea Millefolium, L.

J. L.

J. Collins

Achillea Millefolium, L.

B. C. Glover, Hale, W. Q. June 10,
Hancock " , Aug. 5, 1894.

Achillea ptarmica 1 ~~vra~~ fl. pl.

B. 94. Aug. 21. Mg. Parks Home
planted in garden

Aconitum nanum

B. 94. aug. 21. Hg. Park: nunc
pleniflor in Garden

Acorus Calamus, L.

P. H. Timmy 20.7.94 cult. good sized batch in wet place near large ponds on W side Eschau G. J. A.

Acorus Calamus, L. 1-2

J — b. in curcuto

Actea

94. May 26 W.H.Ly. A single very strong leaf that probably was this but looked like Potentilla found on knoll in dense woods E. of Ed. below falls (1/4 mile)

1-3

Acteu alba, Nutt

B. f. Glovers Hill, June 10, 1894.

Actæa alba, Bigel

F. Z.

F.Z

coll. fr.

M. 1883. rocky slope by pond in [illegible]

[illegible]

B Aug 1894 Mt R. N. Slope Fox

~~B. & Aug 23. woods between Chestnut Path & Open Pasture Lot~~

Antennaria, Hügel

W. Observed sparingly in two localities.
M. 23-24. May 27/94. In flower.
D. 25 May 30/94. Past flower. but fruit not mature.

W. P. Rich.

M. & D. Aug 4 Mg. v. Valley E. Melrose Reservoir

Actea spicata. L. ... Alt

M. A few plants in fine fruit on a damp wooded hillside near Spot Pond, about T-21. July 4/94.

W.P. Reid.

Actaea spicata L. var rubra Ait.

B.B. V.26 94. Wtrng Swamp below Falls well fl. now by this F.Z

2

Adiantum pedatum, L.

B.B.C., Glovers Hill; June 10, 1894
Hancock " Aug. 5, "
W.Q., Sept. 9 "
In Herb., " " 28, 1888

I like latter, the best station in the Hills for ferns, it being completed by "clearing up".

Adiantum pedatum, L.

W. C. Two localities in rocky woods west border of South Reservoir. T-V-6 and N-6. July 23/94 and East slope of Beech Hill 7. G. -13 Aug. 5/94

M. 95. III. 16 Reported (?) by G. F. Perry extinct [U. P. Peck.

Adiantum pedatum, L.

[illegible] Aug 32. 74 [illegible] Mx. Beech Run near meadow

Pine & Cc

B. 74. Aug 23rd 1/4 Mx. boundary SE corner Pines + 1/4 woods
& between Chestnut Patch + Pope Pasture lot

B. 95. Jan. 14. JRW. Path E0' Cedar swamp near some Sugar Maples & Lindens.

B. [illegible] M. O [illegible]
[illegible]

Alaska Air Flt. Sta, Kal.

Aesculus Hippocastanum, L.

M. 05. Feb. 17 Penn.

I have only seen this tree in the Falls Reservation. I do not consider it sufficiently established about here to be taken as a native. Have never been able to find young trees. Have

Aesculus Hippocastanum

B.94 Aug 21 - Inj. Sulph Strych a true Hippocastanum
A 9 seeds. not thriving vigorously

Aethusa Cynapium L.

Agrimonia Eupatoria, L.

Fort.

B. B. ch. < Bur. Oct. '94

Fla. B. N. W. N. M. Aug. 11. '94

3

Agrimonia Eupatoria, L.

M. c. In bud. July 7/94
In flower July 23/94.

J. T. Buck.

B Sept 3 94 Mg o Purgatory Road.
B. Aug. 5. 94 Mg. f. near corner Belcher. Brook

1-3

Agrimonia Eupatoria, L.

V. [illegible]

[illegible] especially on B. H. slopes towards Spot Pond

B 94. Aug 24. Mrs. O Kenston E. Baldwin Brook

B. 94 Aug 15 Mrs. F. Hosmer near Red Bridge Brook

M. 94. Aug. 4 Mrs. O. Woods road M W. Cascade

E. o Coll. [illegible]

Agrimonia Eupatoria, L

Jt 6 -

Spec. in Herb. Ch. F.

Agropyrum caninum, Roem. & Schult.

B.M. Stmeham. E. Shore Winchester reservoir, 7.VII.94. W.P.R. No. 354. — Stmeham, rocks in woods, 4.VII.94. W.P.R. No. 285.

B.M. & coll.

Agropyrum repens, Beauv.

B

Agrostis alba L. var. vulgaris. Thurber.

— forma aristata.

W. Melrose, Border of Meadow 28.VI.94. W.P.R. No —

1-3

Agrostis alba, L. var. vulgaris, Thurb.

BB. 6. VII. 94. C.W.S.

M. 4. VIII. 94. W.H.M. — 4. VIII. 94. C.W.S. —

M. W. Medford, W. border S. Kenwood 23. VII. 94

W.P.R. no. 403. cole W.P.R.

MW. 94. VI. 28. Border of meadow Medford. colt Flowers glume awned in the bud W.P.R.

B.C. [illegible] BB. [illegible]

Epitaph Outcrop 1.5

515 Tally

Bag " 94. O Furnace Brook near Bonsley

B B. Reported by C W Swan.

Agrostis canina, L.

Ramatis [illegible]

M. 94. VIII. 19. N.R.K. [illegible]

" " " " Bordeaux [illegible]

Agrostis perennans, Tuck.

B. 24. VIII. 94. W.H.W. 11. VIII. 94.
S. W. Roxbury - damp woods, near Muddy Pd
6. IX. 94. W.P.R. no. 595.
S. S. Hyde Park, Muddy P. woods, rocky bank
in woods 6. IX. 94. W.P.R. no. 568.

Agrostis scabra, Willd.

Ailanthus glandulosa

B. 94. Aug. 21. Nrg. Park's house 6 yrs planted 6'
a tree planted Sand garden but not
growing vigorously
M. 94. x1. 28. Nrg One plant near Rock E' Long's House

2

Alisma Plantago, L. var. Americana, Gray

W. Ditch in meadow N.E. of Bear Hill.
July 2 9' /94.

M. L. Rick.

B. 9 + Aug. 15. Mg. O. Pinetree Pond + meadow Blue
Hill River

Alisma Plantago, L. ~~var. Americana, Gray~~

B. C., In Herb., W. Q., Nov. 1888.

1-2

Alisma Plantago, L. var. Americana, Gray

1-2

Allium Canadense L., Kalm.

Allium Canadensis, Kalm.

M.

Numerous plant, growing in moist
meadows. Rich & Dolgeville Flats.
May 30th.

Coll by.
W. P. Rich.

Allium tricoccum, Ait.

Calumet mine, Drill

[illegible] Core in net place

Mg. 9+. Ang. + Mg. 0. Col. & W. Cascades.

[illegible] Core in net place.

[illegible]. Core in net place.

Adams Home, Wills.

by M. C. Border of Jones and Meadowers.

W. P. Rich.

N. 94 NW 2x Mystic Pond N.W. - Causeway

Alnus incana

B. 94 Anglia. Mg. O. Furnace Brook S. Isabel Rock

Alnus incana, Willd.

2

Alnus serrulata, Willd.

M. 95. Pec. [illegible] Dame,

Pecaunock -
Hazel nuts in low-
ground swamps along
Nicketaw - Hazel Brook

Alnus serrulata, Willd.

Alnus serrulata, Willd.

W. C. Borden of Jewels mill meadow S.

Jr. P. Keck.

Alnus serrulata, Willd.

B. C. Randolph Ar., W. Q., June 10, 1894

Alopecurus geniculatus, L.

Alopecurus pratensis, L.

BB. 26.V.94. C.W.J.

Alyssum maritimum

B. 94. Aug. 21. Mg. Park's Annual
planted about house and in garden

Amaranthus retroflexus, L.

M. o. by roadsides.

Aug 5/94, roadside West of Beaubien.

Aug. 19/94. " S-T. 16-17.

B. 94. VIII. 24. Mg. Observatory Great Blue N coll 4. W. T.

B r. coll 4 botts.

Ambrosia artemisaefolia, L.

N. L. C.

P ~~Aug 11 94~~ coll. fl.
B Aug 11 94. Mg. C. N. Babel Rock.
M. Aug 4 94 Mg. O. woods NW cascade along road side

1-7

Ambrosia artemisiaefolia, L.

W. In path East side of Beaver Creek.
Aug. 1914.

[illegible]

Burlington

Ambrosia artemisaefolia.l. 3

B. C. Glovers Hill; W.Q., June 10, 1894.

Ambrosia artemisaefolia, L. 4

b. spec. near. cult. [illegible]

B. 94. Aug 23. o.th. Wolcott

Amer. Acad. Torr. Gray

[redacted] Plants & small groups of this were found from the edges of the the lowlands to the tops of the hills, but it was nowhere noted as abundant

[redacted] Plants & small groups of this were found from the edges of the lowlands to the tops of the hills, but nowhere noted as abundant.

S. of 4. Nov - 2 m. + about ½ mile good plants

[redacted] Plants & small groups of this were found from the edges of the lowlands to the tops of the hills, but nowhere noted as abundant

4

Amelanchier Canadensis, Torr & Gray.

10.

Occasional in Falls - Ame-
lanchier 20 ft. height.

5

Amelanchier Canadensis, Torr & Gray.

B. f. W. Quincy — & In Herb.
fr. Randolph Av., Milton May, 1851

Amelanchier Canadensis, Torr & Gray.

M. c. In flower April 29/94.
In fruit. June 5/94.

A number of dwarf shrubs about 1 ft. high with large juicy fruit was observed July 7/94. on the rocky east border of the Croton Reservoir. 20-10. ou

W. P. Rich.

Amelanchier Canadensis, Torr & Gray.

Amelanchier Canadensis ?

M. 94. Aug. 4. Mg. O. Woods NW Cascade.

Amelanchier Canadensis, Torr.& Gray,
var. oblongifolia, Gray.

L.H. Bailey

1-2

Amelanchier Canadensis, Torr. & Gray,
Var. oblongifolia, Gray.

B. f. In Herb., W. Quincy, 1891

B. f. ~~Herb.~~ J R-C. 1 0

Ammannia humilis, Michx. = Rotala ramosior, Koehne

B.94. Aug. 11. Mg. S. N & E Babel, Loch
" " " " " " W. Valley West Th. Crags
B 94 Sept 3. Mg. edge of Meadows of S.E. Ridge.

Ampelopsis quinquefolia, Michx.

J - lo.

4

Antholyza quinquefolia

B. 94 Aug 24. Inv. Houghton valley

B. 94. Aug. 25. Mq. Parks house planted in Trellised about house

Rechtsanwalt

Ampelopsis quinquefolia, Michx.

M. c. On rocks and trees in woods.

~~M. 95. Jan 15. Sep. o~~

M. 95. Jan 15. Sep. o near Little Swamp

Mrs. Keck.

1-7

Ampelopsis quinquefolia, Michx.

B. C. June 10, 1894; Glover H.

[illegible] 5033 [illegible]

Aspidiopsis quinquefoliata Rydb

[illegible] This is occasionally found in moist runs and on the edge of swamps & also occasionally in dry woods but not in large quantities.

M.94. Aug.4. Mg. f. Among rocks in woods N.W Cascade.

[illegible] This is occasionally found in moist runs and on the edge of swamps & also occasionally in dry woods but not in large quantities

S.94. NW. Mg.c ledge on N. Log meadow N.W. Bolder Creek

[illegible] This is occasionally found in moist runs & on the edge of swamps & also occasionally in dry woods, but not in large quantities.

Amphicarpaea monica, Ell.

B. c. In Herb., B.H., W.Q., 1894.
Noted, June 10, (Glovers Hill)
" Aug. 5, (Hancock Hill.)

Amphicarpaea monica, Ell. Nutt.

B. Aug 11. 94

S Aug 11 94 [illegible] coll. on Aster umbellatus – with Cuscuta Gronovii J. P. H.
in Herb. sec Cuscuta

1895. B. G.G.K. in Eur.

B Aug 11 1894 Mg C. Road east Babel Rock + road N. Cay

M. Aug 4 94 Mg. C. woods N.W. - Cascades

Amphiocarpaea monica, Ell..

F. rautu Pequeut

F.F.C.

Amphicarpaea monica, Ell.

S. Rocky woods. Sept 6/94.

W. P. Rich.

Anacharis Canadensis Rich. see

Elodea Canadensis Mich.

[illegible] T.

1 - 5

Anaphalis margaritacea, Benth & Hook.

B. Aug. 24-94 coll ft

M. & F.

Anaphalis margaritacea, Benth & Hook.

B. C. Glovers Hill; June 10, 1894
Hancock " Aug. 5, "
1

Anaphalis margaritacea, Bentth & Hook. 3

F. Fragrans

Specimen in Herb. M. D.

Amphibians, Reptiles, Birds & Mammals.

W. L. Dry weeds under rocky ledges of the Reservoirs.

M. 94. VII. 23. Medford. West border So Reservoir. coll fl Mfd Keck

Anaphalis margaritacea Benth. Hook. =

[illegible]

[illegible]

Aug 11 94 Mg F. Rock N Babel Rock

4

Andromeda ligustrina

B. 9 4. Sept 3. Mg. Valley W. Crag.

Anatomical Diagram, Final.

Requisition #.

Au trone la ligature, Sint.

Andromeda Agastroma, Fish.

W. F. Lowgrounds, Fraclers of Corals

S.

W. P. Rock

Andromeda ♀ ligustrina

M. 94. aug. 4 leg. f. Woods N W. Cascade

1-8

Additional Localities, Fruit.

B. C. Glovers Hill; June 10, 1894
In Herb., W. Q., July 4, 1891—

Andromeda ligustrina. Muhl. 3

This shrub is found in both open and shady wet & dry land, but prefers moist land near the edge of wet places.

This shrub is found in both open shady wet & dry land, but prefers moist land near the edge of wet places

This shrub is found in both open shady wet or dry land, but prefers moist land near the edge of wet places

Andromeda ligustrina, Muhl.

Bare Hill — May 11, 44 — C.G.F.

" Fox E. Great Swamp " 15 " W.H.K

multifolia, T.

Drum.

Von zu Muckkäse.
Felt, to make Kerseymere.

1-2

Stridronogon furcatus, Meek.

Andropogon ~~provincialis, Lam.~~ furcatus Muhl.

B.

Andropogon scoparius, Michx.

B. ~~21.VIII.94. W.S.H.~~ 11.VIII.94. 15.VIII.94. 16.VIII.94
M. 4.VIII.94. C.W.J.

B 21.VIII_94. Wm. Summit Great Blue

1895 B [illegible]

B Aug 1894 Mg O. Road N. Babel Rock
B Sept 1894 Mg F. Near Purgatory S. Rattlesnake Hill side Lt.

Andropogon scoparius, Michx.

Fells.

Spec. in herb M.D. coll by R. Frohock

Andropogon scoparius, Michx.

1 Virginicus, L.

Andropogon [dissitiflorus, Michx.]

B. P. In Herb., B. H., Milton;
Coll. E. Faxon, Oct. 17, 1884.

Anemone [illegible] L.

M. c.

Jan. 9. Wm. P. Rock

Anemonae ~~[illegible]~~ I.

$\vec{J} - f_0$.

1-4

Anemonae ~~[illegible]~~ L.

B. c. June 10, 1894, Flowers Hill.

Anemone [illegible] L.

B. BB. 11 1883. c. [illegible]

B : BB : 11.
B.

[illegible]

[illegible]

M. Ans., 4.94

[illegible]

1895. B. [illegible]

[illegible]

W. S. Underground Tanks.

M.94.VII.23. Medford. Rockybank Wade's Reservoir. W. P. Keck.

J. - F.

M. Aug. 4-1894. Coll. W. H. M.

Bl Aug. 11-1894 Coll. W. H. M.

1-4

Anemonella thalictroides Spach.

1895. B. G. D. K. in B.

Anemonella thalictroides Spach.

J. — 1.

Herb. Univ. Prag

446

Anemone thalictroides Spreng

M. S. on rocky wooded hillsides.
May 27/94.

M. T. Kirk.

Anemonella thalictroides Spach.

B. f. In Herb. "W. Quincy."

B 94.V.24. C.E. Chickatawbut coll. f. FZ

Angelica atropurpurea. L.

Antennaria plantaginifolia. Hook.

Yn. f. in open rocky woods.

W. P. Rich.

3 Aug 1894 Mg. R. Road W. Babel Rock

Antennaria plantaginaefolia, Hook.

B. J. —

Ifb

Antennaria plantaginaefolia, Hook.

1895. B [illegible] K. [illegible] Heb

M. 64 Aug 4 Ag. c. woods N.W Cascade

Antennaria plantaginifolia, Hook.

B. C. In Herb., W. Q., May 17, 1890
Glovers Hill; June 10, 1894.

Anthemius 1-3 Cotula, D.C.

B. c. W. Quincy; June 18, 1874.

~~Maoota~~ Colula 26

B. 94. Aug. 15 Mg. c. Purgatory road near house.
B. 94 Aug 26. Mg. c. Old Grower House site.
M. 94. Aug. 4. Mg. r. About Hemlock Pool.

Anthemis Cotula DC.

W. C. along roadsides.
S. in old pasture.

N. 94. VI. 28. Melrose. Roadside near Ravine Road coll fb.

W. T. Reick.

Anthoxanthum odoratum, L.

B. 11. VIII. 94. W.H.M. – M. 4. VIII. 94. C.W.S.
BB. 26. V. 94 – C.W.S.
B.B 1884 C.
B-94 Aug 23. new road to quarry N. slope Gt Blue

Anthoxanthum odoratum, L.

B. C., Glovers Hill; June 10, 1894.
In Herb., W. Q., " 1888.

Anychia capillacea, DC.

B. C. In Herb., W. Q., ~~Aug. 29, 1891~~
Sept. 5, 1886.

Anychia capillacea, DC.

B. Aug 11 94

B. 86. 1st on Glover's hill [illegible]

[illegible]

[illegible] Pine Hill woods path

B Aug 11 94 Mg. R. near Ledge N. Fork

[illegible]

Amphia dichotoma, Michx:

[illegible] dry rocks.

B. 94. VIII. 11. W.H.M. coll. Road to the Crag J.R.W.

[illegible]

Angelica atrorubra. Michx.

3

B. Cartroad in open woods. N-46.
Sept. 11/94.

coll H

W. P. Rich

Anychia dichotoma, Mx.

B. O., N. Q. (44-N) Aug. 29, 1891

Appellation unfinished.

B. r. Rattlesnake Hill, W. Q.

B. 95. Jan 14. TRW. Q.

Aphyllon uniflorum, Gray.

W. C. Rocky wooded hillside, Black Rock, and open grassy meadow K-L. 24-25 May 30/94.

Woods ~~Lane~~ west base Taylor Mt. June 3/94 E Border S Resin Coll ft

Lepidoptera uniformia, Brauer.

[illegible]

[illegible]

By [illegible] S. A. Marshall [illegible]

1-4

Apios tuberosa, Moench.

B. Aug. 11. 94. [illegible]

B Aug 11 94 Mq O. N W Slope Fox

B Sept 3 94 Mq O. Purgatory Road

M. 94. Aug. 4. Mq. O [illegible] N. W. Cascade

Apios tuberosa, Moench.

B. f. June 10, 1894; Glovers Hill.
Aug. 5, 1894; Hancock Hill.

Apios tuberosa, Moench.

A. - f.

U.S.D.A.

776

Apios tuberosa, Moench.

Mn. o. Low ground: V-VV. 29-30. Aug. 19/94.
S. Rocky woods. Sept. 9/94.

Apocynum androsaemifoluim, L.

B. C. W. Quincy; June 18, 1894

Pl. Cult. [illegible] Land M. f. S. [illegible]

Apocynum androsaemifolium, L.

T. Aug 11 94 fr. coll fr. J. P. Ch.

S. June 15 94 fl. coll fl. J. P. Ch.

S July 9. 94. fl coll fl. J. P. Ch.

B Aug 11 94 Mg F. Slope S. Crag Foot Spring road

M. Aug. 4. 94. Mg. 10. woods NW. Cascade

Apocynum androsaemifolium, L.

B. J. C.

March 30 [illegible]

Aconitum variegatum, L.

Fig. 1. in purple

Apocynum cannabinum, L.

M. . Observed but once during the season Octo. 6/94. in leaf only on the East Borders of the North Reservoir coll't

1-4

Aquilegia Canadensis, L.

B. f. In Herb. from W. Q.

Aquilegia Canadensis, L.

~~P. G. Mar. 7 C. 14. Aug. A. bowl pendent buff~~ FZ

P. Mar 7/3 1897. C. acuta. Cup [illegible] B.

~~Aug 5 B. G. G. K~~ B.

~~Bloom 11 94 Aug~~ O. Ledge N. Fox

~~Bloom 4. 94 Aug.~~ Park's Corner

Big Bend Hill

Aquilegia Canadensis, L.

B. F. C.

Aquilegia Canadensis, L.

N. c. on upland - rare.

M. 24. Aug. 4. My. pa woods N. W. Carcade

Aquilegia vulgaris, L

B. 94. Aug 21. Mg. Parkinsonian planted in garden + germinating from seed

B. 95. Aug 21. Mg. Parkinsonian planted in

Arabis Camadensis, L.

Arabis Canadensis, L.

B. "Notch" in the Great B.H.
Near S-8 In Herb. June, 1890.

Arabis confinis, Wats.

Arabis hirsuta, Scop.

Arabis laevigata, Poir.

Ft. Below Cascade, not b.

Spec. in Herb. M.S.

1-3

Arabis laevigata, Poir.

Arabis laevigata, Poir. 3

M. o. Rather abundant on dump-roads, Cascade vicinity, May 27/94. and also observed in rocky open woods North of Pine Creek June 9/94.

Arabis perfoliata, .Lam.

Aralia racemosa. L.[2]

B. r. Glovers Hill; June 10, 1894
near spring, about (39-5.)

Aralia racemosa. L. 3

Fells, recurinal.

Aralia hispida. Vent.

B. C. Clover Hill; June 10, 1894
In Herb. W. Quincy; July 17, 1886.

Aralia hispida. Vent.

F. l. Spec. in her. M-l F. & b

Arabis hispida, Vent.

Blue Hills, ledge N. Fox Hill. Aug 11. 94. C. G. F.

" " " " " W. H. M.

" N. Sullivan's quarry Sep 3, 94 P. G.

Aralia hispida. Vent.²

C. Aug 11.04

[illegible] Wide [illegible] ... ' ... ge.

M. 94. Aug 7. Aug. 0. Bovets near Cascade

B [illegible] ' near S[illegible] ... ' ... ' ... '

Aralia hispida. Vent. 3

N. C. in upland rocky woods and very abundant on the stony south shore of Spot Pond.
In bud June 9/94.
In flo. 28/
In fruit June /94.

Aralia nudicaulis. L. 1-4

Aralia nudicaulis. L.

B. C. Glovers Hill; June 10, 1894

Aralia nudicaulis. L.

B. J. c.

Aralia nudicaulis, L.

In. L. in rocky woods.
In flower in May & Jy.

B Aug 11 94 My F. Road W. Babel Rock

Aralia nudicaulis . L

Blue Hills, Aug 11, 1894. C. G. F.

Beaver Brook, June 3, " H. A. H.

Aralia racemosa L.

Middlesex Fells. E. Melrose Reservoir. Aug 4, 94 W.H.M.
Blue Hills, W. slope Big Blue. " 24 " W.H.M.

Aralia racemosa. L.

[illegible] Rg. rich gully in woods on W slope Gt Blue

[illegible] Rg. near road side NW Saccarappa

Great

coll.

[illegible] coll.

Aralia trifolia,Decne.& Planch.

Arctium Lappa L. v - minus.

M. 94 - Aug. 4. Mg. o. About Hemlock Pond.

Arctium Lappa, L. var. nov.

B. c. Glovers Hill; June 10, 1894.

~~Arctium Lappa, L. var. majus, Gray.~~

Arctium Lappa. L. without any doubt
var minus

Fr. f. along roadsides.
S. f. in clump pasture.

Fr. P. Rich.

B. 94 Aug 10 Mg. Old Glover house site

B.94. Aug 23. Aug. 7th/6 Hancock

B. 94. Aug. 21. Mg. C. Lop Buck

Arctostaphylos Uva-Ursi, Spreng.

One thick patch was noticed in the edge of a bushy pasture towards the north west corner of the reservation

Abundant on Bearberry Hill.

[illegible] Oct 2nd 1894 Light Blue

5

Arctostaphylos Uva-ursi, Spreng.

B. O. Hancock Hill summit;
Aug. 5, 1894 –
In Herb., B. Hill summit; 1882.
B. 95. 1.14. SRW. Top of Bear Hill.

Arctostaphylos Hookeri, Gray.

B. Aug 12.94. pc.

[illegible]

1896 [illegible]

B ft. coll Printed in M r S o. [illegible]

Arctostaphylos Uva-ursi, Spreng.

Near Beau Dan: a small patch

[illegible]

Arctostaphylos Uva-ursi. Spreng.

Blue Hills, Aug 21, 94 — W. H. H.

Arenaria lateriflora. L. 1-2

M. Low ground - near Cascade. June 28/14.

Arénaria latériflora.L.

Arenaria serpyllifolia, L.

M. o. Open rocky woods west side of Taylor Mt. June 5/94 and in similar situation S.E. side Bear Hill. June 5/94.

W. M. Peck.

Arenaria serpyllifolia, L.

B.H. [illegible] about Sapperton's House coll fl JRW

B. Sept 1894 c. Stream side ledge. coll fr. JRW.

M. Vl.a.6 - H A.P. coll. & [illegible]

Arethusa bulbosa, L.

B. 5. In Herb. B.H.R., Milton, near Houghtons; June 10, 1883.

Formerly abundant in this bog, but now rare — Too much collected!

Argemone Mexicana, T. 1

3

Arisaema triphyllum, Torr.

m. f. in boggy.

W. P. Fitch.

Arisaema triphyllum, Torr

B. B. [illegible] ft. coll.

B. 1886 ft. of Glover's Mill [illegible]

B Aug 11 94 Mg R. Furnace Bank N. Babel Rock

11 94 Aug 4 Mg [illegible] Valley E. Wilbore Rd Ville

B. 94. Sept. 3. P. G. (coll) ft. of Cedar Swamps.

Arisaema triphyllum, Torr

1-4

Arisaema triphyllum, Torr

B. c., Glovers Hill; June 10, 1894.
In Herb., W. Q. Sept. 5, 1886.

Aristida

B. Ref.-3.94. Mg. 7. Road near Sullivans Quarry
Roberts A. Gracilis

Aristida dichotoma, Michx.

B. ~~3.IX.94. W. Miss.~~ 24.VIII.94 — M. 4·VIII 94. C.W.T.

B. 3. IX 94 ~~W. Miss.~~ open pasture east of River Levee W. Miss

Aristida gracilis, Ell.

B. ~~21. VIII. 94~~, W.H.W. 16. VIII. 94

Aristidia purpurescens,Poir.

Artemisia biennis. Willd.

B.94.IX.11 Old cultivated field. 2-44. Roll 1

M. L. Rick.

Artemisia vulgaris, L.

B. o. Willard St., W. Q. Aug. 1891
In Herb.

Asclepias Cornutii, Decne.

B. C. Glovers Hill; June 10, 1894

Asclepias Cornutti, Decne.

Asclepias Cornuti, Decne.

Asclepias incarnata, L. var. pulchra, Gray.

Asclepias incarnata, L. var. pulchra, Gray.

3

Asclepias incarnata, L. var. pulchra, Gray.

W. f. Borders of ponds and meadows. Abundant on the South and West shores of Spot Pond where some plants were observed Aug 19/94. Coll. 11 four feet high and much branched.

W. P. Rich

13 Aug 11 94 Mg O Valley Vk Cmg

Asclepias phytolaccoides, Pursh.

[illegible] Aug. coll. Lf. [illegible]

[illegible] Aug. coll. Fr. [illegible]

B. Scituate Ct.

1. 1883. [illegible]

B Aug 11 94 Aug. R. Small Swamps woodlands E. Isabel Rock

M. 94. Aug. 4 Aug. r. About Hemlock Pool.

[illegible]

Asclepias phytolaccoides, Pursh.

B. f. Glovers Hill, June 10, 1894.
Along Randolph Av., S. of Forest St.
In Herb., W. Quincy; Oct. 1885.
B. 95. Jan. ix. path w'side with cedar swamp.

Asclepias phytolaccoides, Pursh.

S. A few plants in fruit observed Sept. 6/94.
in damp open woods.

W. P. Rich.

Asclepias quadrifolia, L.

F. Generally distributed. Cub not. to.

B. 95. Jan 14. Path to W. Quincy found by T.R.W. + Judge Churchill

1-4

Asclepias quadrifolia, L.

B. 1883. C. mar 33 34 P.R. The clearing of the woods
of the path [illegible]

[illegible]

[illegible]

Asclepias tuberosa, L.

Wn. O. Rocky mounds. T.-12. June 9/94.
" " T.-21 June 18/94.
Also in previous years collected
near the Cascade.

W. P. Rich

Asclepias quadrifolia, L. 2

B. O. Glovers Hill; June 10, 1894
In Herb., B. Hill, Milton, 1882

Formerly common on the S. slopes of the range; now less frequent. The cutting of trees & bushes along the road places has destroyed already one station in W. Q., about 38-0- Wide "Avenues" are not needed in the Res.

S. 94. Nov. Imp. f. on ledges of Millstone Hill

S. 94. 2... 5. Coll. f.

Asclepias tuberosa, L"

1-2

Asparagus officinalis, L.

VV. o. Observed in four different localities in the Reservation this season (1894) and mostly in woods rather remote from cultivated grounds

2

Asparagus officinalis, L.

F. Fields of weed seeds.

Aspidium acrostichoides, Swartz. var incisum, Gray

M 7

Aspidium acrostichoides, Swartz.

[illegible] Aug. 94 Mg. Pine Tree Brook Valley near Wallingford Vt.

[illegible]

[illegible] o. Pine Hill. c. Bea 94.

B Aug 11 94 Mg R. ~~Kellogg~~ S. Rattlesnake

N. W. Slope Fox

M. Aug. 11. 94. Mg. o. woods road N. W. Cascade

B [illegible] M [illegible]

Aspidium acrostichoides, Swartz.

W. f. on rock, wooded hillsides and abundant in Rec. Creek Swamp

Aspidium acrostichoides, Swartz.

B. f., Glovers Hill; June 10, 1894.
In Herb., B. H., Milton; 1882.
" W. Q., Sept. 1888.
M. 95. III. 16. Reported as in Herb. G. F. Perry Aug.

Aspidium acrostichoides, Swartz.

Aspidium Bootii, Tuck.

Aspidium cristatum, Swartz.

Aspidium cristatum, Swartz.

B. Indusiferous. Pet Lunacy.

Mg. Th. 16. Reported by [illegible]

Aspidium cristatum, Swartz. var. Clintonianum,
D.C. Eaton.

1-4

Aspidium marginale, Swartz.

Aspidium marginale, Swartz.

B. f., Glovers Hill; June 10, 1894.
In Herb., B. H., Milton; Sept. 1884.

Aspidium marginale, Swartz.

B. F. C.

316

Aspidium marginale, Swartz. 4

V.V. C. in woods.
S. " " "

M. 95. March 16. Reported in Herb. G.F. Wright Aug.

Aspidium Neveboracense, Swartz.

B. C., Glovers Hill; June 10, 1894.

Aspidium Noveboracense, Swartz

c. Bear Hill.

B. 94. Sept 3 Inf., o. near Crag Foot - Ithaca

B. 94 " " " ö. Cedar Swamps.

B. 94 Aug 24. Inf. woods w. Buttermilk

3

Aspidium Noveboracense, Swartz.

Wi. c. in dam[illegible] verrucid. V-3 Winchester 94 VII.23. Coll. m. S.

Aspidium Noveboracense, Swartz.

B. N. C.

M. 95. III. 16. Reported. in Herb. G. F. Peck.

Aspidium simulatum, Davenp.

B. With the Woodwardia angustifolia - W. Q. (about 43-R.)
Sept. 1894.

Lobelia [illegible]

B. Sept 3 94

[illegible] Garden's Swamp or Cypress.

Aspidium spinulosum Swartz

M. 95. III. 16. Reported as in herb. G. F. Davy

Aspidium spinulosum, Swartz.

B Sc 6.3 E4 Bay. 7 near Craigfoot Mountain

M. Mrs. P. D. Richards -

Aspidium spinulosum, Swartz, Var. dilatatum,
~~Horneman.~~

Aspidium spinulosum, Swartz. var. intermedium,
D C Eaton.

Aspidium Thelypteris, Swartz.

Aspidium thelypteris, Swartz.

B. C., Glovers Hill; June 10, 1894

1-4

Aspidium Thelypteris, Swartz.

B. Aug 11.94

Au. 94. Aug. 4. Mg. f. Valley N W. Melrose Reservoir

Aspidium Thelypteris, Swartz.

Mt. C. [illegible]

S. 94. IX. 6. low ground, clearing in woods. around Muddy Pond. coll
B.

Asplenium ebeneum, Ait.

B. f. In Herb., B. H., Milton, Oct. 11, 1885
Tr. Q., Sept. 9, 1894.

Asplenium viride Huds.

M. f. in rocky woods and abundant on
94 Mt Bear Rock, Illinois. M.

M. 95. III. 16. Reported by G. F Perry

Asplenium ebeneum, Ait.

N. O. 19.94

B. Spl 2:4

B. 1885. C. rocky place, S. Ke. ... (1)

B. 94. Aug 24 2y. ledges W. base Blackrock

B. 94. Apr 19. 2y Streamside ledge

Asplenium ebeneum, Ait.

F. Forsaade regio. O.

Asplenium filix-foemina, Bernh.

Vw. 9 VIII 19 [illegible] Melrose low ground W-X 27-28. coll fr S.

Asplenium Filix-foemina, Bernh. 1-4

B. f., Hancock Hill; June 10, 1894
In Herb., W. Q.; Sept. 5, 1886.
" " " 9, 1894.
Mostly var. angustum, D. C. Eaton

Asplenium Filix-foemina, Bernh.

F. Aug 11 94

B. Local. Ft. of Gloucester Hill. Forma angustissima.

B. Aug 11 94 Mg. F. Road E Babel Rock & Fernan Bush N. Babel Rock.

Asplenium Filix-fœmina, Bernh. 3

Gr. J. =

Asplenium Filix-foemina, Bernh. var. Michauxii, Mett.

2

Asplenium thelypteroides, Michx.

B. r. W. Q.; (39-Q.)
M. 95. March 16. Reported by G. F. Perry (Herb. VIII.)

Asplenium thelypteroides, Michx.

1-2

M. Pine Hill woodlands by J. W. Hurand
Some years ago (Fide S.L.D.)

Asplenium Trichomanes, L.

Asplenium Trichomanes, L.

Fl boreade regio. O.

Asplenium Trichomanes, L.

Nov. 5. Observed in woody moors, East side of Bear Head, Shenehan June 8/94.

Asplenium Trichomanes, L.

B. f., In Herb., Ledges near summit B. H., Milton; Oct. 1885

Asprella Hystrix, Willd.

F. Rocks below Cascade (not at all abundant)

Spec. in herb. M. L.

Asprella Hystrix, Willd.

B. O., In Herb., W. Q.; July, 1889.

Asprella Hystrix, Willd.

M. 4. VIII. 94. C.W.T.

M. 94 Aug 4 My. O. woods, NW. Canada

Aster acuminatus. Michx.

B. f. Glovers Hill; June 10, 1894.
In Herb., W. Quincy; Aug. 8, 1886.

Aster acuminatus, Michx,

[illegible] coll

M. L. F.

[illegible]

B 94 Sept. 3 & G. F coll. fr

[illegible] F

B. 94. IX 3. P.G. W. Craigfoot Spring coll.

M. F

Aster acuminatus. Michx.

F. 6.

346

Aster acuminatus, Michx,

Wn. Damp ground V-W. 29-30. Aug coll. f. 1894.
S. Rocky bank. Sept. 6 "

B Aug 1895 Dry Fr Valley N. Crag

Miscellaneous.

P. Sept 3'94 pl. E.S.F.

Ust. P.D.R. C. Pres. Mel.

M. 9/4 Aug 4 My. O. Woods N.W. Cascade

B. 94.IX.3 P.9 E'Ccdar Swamp Co. fr

Aster cordifolius, L.

Mt. C. Rocky woods. Aug. 19/94.

U.S. Dept. of Agriculture

Aster cordifolius, s. l., e.

B. f. Hancock Hill; Aug. 5, 1894

Wm. J.

C. 94 IX. 3. Wat Quincy. Dry wood

S.

Asteroxylon, Lk.

[illegible] Aug 7. 87 coll M. L. F.

B 1885. C. En. [illegible]

[illegible] C. Pinal Mts.

Aug " 94 O. Furnace Brook near Boundry

B. 94. Sept. 3. C G. F. coll fl M. L. F.

Aster cordifolius, Ait.

B. f. Glovers Hill; June 10, 1894
Hancock " , Aug. 5, "
In Herb., Blue Hill; Milton, 1884.

Aster diffusus, Ait.

B. C.

Asterdiffusus, AIT.

Astor Hill Farms, Ala.

Jan.
S. P.

Aster dumosus, L.

B. O. Near B. H. R., Wr. Q. Sept. 1894
(40-W)

Aster dumosus. L.

B. 94. Sep. 3. Road to Babel Knob coll. M.L.F.

in bud. Big Bend Knob

Near Grandma's Swamp

B 94 IX. 3. P.G. E. Bower Rock coll ft M.L.F.

Aster dumosus, L.

Va. West border South Reservoir J-W. 6.
July 23 1914. coll H
Det. B. L. Robinson.

Aster ericoides, L.

1

M. Abundant on Highland Ave. Winchester bordering the Reservation but not strictly seen in its limits (Oct. 14.)

coll. 14

W. P. Rich.

M? v. coll M. [illegible]

Digitized by Google

[illegible] High Service Reservoir. [illegible]

Aster ericoides. L[3]

N. 95 March Pindie

A plant or two found by me near North Reservoir Winchester, in Oct. 94. Probably occasional or rare. Messrs Deane & Bhmehill ver[illegible]ied my identification.

H. A. Pindie

Ustera Henveyi, Gray.

B. 93. X. 1. E. F. Williams. Path up big Blue Hill. coll l.f. ? E. F. W.

Aster Hervey i, Gray.

B. r. In Herb., Blue Hill, Milton, Sept. 18, 1884 — fide Asa Gray! (about 8-5)

But the station has been examined by Mr. Faxon & me on the same date since, without finding the plant —

It is in my Herb. from Readville, near the Reservation —

Aster laevis, L.

B. f. Near B. H. R., W. Q., Sept. 1894 – (38 – W.)
In Herb., W. Quincy, Sept. 1886

Asterlaevis, L.

...ster Laevis, L.

Aster linariifolius, L.

2

M.E.F.

1805 [illegible] Bord

near Gardners Swamp.

June white near Gardners Swamps.

Aster linariifolius, L.

B. C. Glovers Hill, June 10, 1894.

Aster linariifolius, L.

Z. J. c.

4

Aster linariifolius, L.

M. c. viridiflorus Eside No-Fcio- Aug. 1894. coll H.

S. " " " " Sept. 1894.

...cer macrophyllus, L.

B. J. C.

B. c. Glovers Hill; June 10, 1894
Hancock " Aug. 5, "
In Herb., W. Quincy, Sept. 1888.

Not blossoming every year.

Aster macrophyllus, L. 1-V

[illegible]

[illegible] in herb. Big Bear Lake

Astor[illegible]

W. O. in rocky woods.
Cascade region Aug. 19/94. coll ff

S. Clearing in low ground near Muddy Pond. Sept. 6/94. coll Ferguson

23 Aug 11 94 Mg O. NW Slope Mt
B. Aug 24 94 Mg. S. W. slope Mt Blue
M. Aug 4 94 Mg. O. woods NW Cascade

Aster multiflorus, Ait.

N. Border of North Reservoir, North end Oct. 6/94

N. Mo. dry side hills.

Aster nemoralis Ait.

Aster nemoralis. Ait.

B. r. In Herb. Shore of "Houghtons" Pond. Sept. 18, 1887.

Aster Novae Angliae L.

B. 93. X.. E. F. W. Mass. Western base Great Blue Hill coll. H. E. F. W.

1 - 4

Aster Novi Belgii, L.

Aster Novi Belgii, Lc

B. C. Blue R. River, Mt. Q. (39-W)
Sept. 9, 1894 —

Aster Novi Belgii, Lw.

M. c longipenne

Aster Novi Belgii, L.

F. J.

F. J.

Aster paniculatus, Lam.

FN. Meadows and ditches around Spot Pond. Sept. 20/94. coll

E.M. Ocon, Wat...

Aster pateus, Ait.

[illegible] Aug 11.94 Mg. coll 2 fr ef. M. L. F.

S [illegible] Aug 12. 94 coll fr C. F. M. L. F.

B. Aug 23. 94

B Sept 3 94 fr.

1894. M. E. D. Ba. [illegible]

B. Aug 23. 94. Mg. coll M. L. F.

B. 94. Sept 3. C. G. F. coll fe M. L. F.

Aster patens, Ait.

B. f. B.H.R., W.T.Q., Sept. 1894.
In Herb., B.H., Milton; 1884.
" " 1894

B à coll. M à.
tous 9. nre.

Aster patens, Ait.

M. c. Drymeds.
B. "
S. "

Pinnacle Rock.

B. Aug. 11. 94. Mg. O. Road Vt. Babel Rock

Abver patens, Ait.

B. J. C.

Aster puniceus L.

B. B. ch. r Bur. Oct. '94

Aster puniceus L.

B. f. In Herb., W. Q., Sept. 16, 1888

B. f. in herb. Tuc. M. f. Lawrence

Aster puniceus, L.

B. J. C.

Asterpunicous, L.

W. f. in low ground border of woods and meadows.

Dr. P. Pitcher

Aster puniceus L. var. Caricicola Gray [redacted]p

Gardner's or Upper Swamp.

Aster spectabilis, Ait.

B. r. In Herb., B. Hill, Milton, Sept. 18, 1884. growing with A. Herveyi, Gray, about 8-S

The plants were quite numerous that year, at this place, but I have not seen them there since —

1-2

Aster spectabilis; ait

W. Rudland

B r [illegible] F.R.C. [illegible]

Aster umbellatus, Mill. 2

1-y

Aster umbellatus. Mill.

near
B. c. B.H. River, W. Q., Sept. 9, 1894
(40 W.)
In Herb., W. Quincy, " 1886

coll.

3

Aster umbellatus, Mill.

Aster umbellatus, Mill.[4]

M. f. in woods ... wesc borden Aug. 19/94 coll
S. C. " " " Sept. 6/94.

V.H. Rich.

B. 94. x.: P.S ex. M.L.F.

Ester undulatissima

Alter undulatis, Lm

B. c. Glovers Hill, W. Q., June 10, 1894
B. H. R., W. Q., Sept. "

Averrhoa dolatis. L.

B. Jc.

Calyx 5-fid. C. 0.

Aster undulatus, L. +

~~Aster undulatus, Ait.~~

W. C. in rocky woods.

S. " " "

Wright.

~~aster vimineus, Lamk.~~

B. C. Near B. H. R., W. Q. (37-W.)
Sept. 1894. = In Herb.

2

Aster vimineus, Lam.

Astor Vindobonensis, Lemb.

Pr. c. in mendacium und Lux gravant.

[illegible]

Aulacomnion heterostichum,
Bruch & Schimp.

Cascade. H. A. Young, Esq. in herb. M. S.

Salutation postmistress, Schwaegr.

In "High Rock" Oper. in her M.S. H.A. Young

Avena sativa, L. 1

~~B. 11. VIII. 94. W.H.M.~~ – M. 4. VIII. 94. C. P. S.

B 11. VIII 94. W H M. in road near Sullivans Quarry W. Hants.

Avena striata, Michx.

Baptisia tinctoria, R. Br.

B. c. June 10, 1894; Glovers H.

Baptisia tinctoria, R. Br.

1895.B. G.C.K.

M. 94. Aug. 4. Mg. o. About Hemlock Pool.

Baptisia tinctoria, R. Br.

Baptisis tinctoria, R. Br.

M. c. in rocky woods.

Mrs. P. Rick

Barbara Prieta Cendry

M. certainly proves here F.S.C.:

1-4

Barbarea vulgaris, R. Br.

B. var arcuata
f.

B. 94. IX.3 W H.M. Cedar swamp. Coll. J.R.W.

B f. vulg M f S

Barbara Rodriguez. R.F.Pr. 3)
~~Barbara Rodriguez~~ (

M. f. in Los Angeles

Barbarea vulgaris, R. Br.

Bull. Soc. Bot. Fr.

1

Barbarea vulgaris, R. Br. 2

A. K.

Barbarea vulgaris, R.Br. var. arcuata, Koch.

B. f.
M. In Herb. July, 1888.
" " June, 1890.

Fartonia tenella, Muhl.

B. o. In Herb., W. Q., near
42-R-Sept. 1894-
Also near 37-W- "

Bartonia tenella, Muhl. 1-3

B. Indianf. woods. Sept. 21

B 94.IX.11. W'Quincy, Boggy woods.

Fartonia tenella, Muhl.

[illegible] Mg. r. Valley Blue Hill River

B Sept 3'94 Mg. r Cedar Swamps. coll fl. J F C

1896. B [illegible] R [illegible] Herb

B. 94. VIII. 95 Mg. Pine Tree Brook Valley Coll H. J F C

" " Hemlock Woods Path

" " Gardners or Cypress Swamp

B. 951.14. SRW. dry paths

Dactylis polifolius, Hein.

"High Rock Cliff." H. A. Young sp. in her Mss.

Berberis vulgaris L

(illegible) Like the Privet this plant was probably distributed from plants in gardens but its distribution was more at an earlier date & the sources are not so easily to be traced as are those of the privet & buckthorn in many cases. It was usually found with the Privet & Buckthorn in open places & often without them on ledges in pastures. It is the first of these three plants to be crowded out by shade.

M. 94 Aug. 9 Mg. O. On rocks in light shade. woods NW. Cascade

(illegible) The same conditions as in M.

(illegible) The same conditions as in M

Berberis vulgaris, L. 6

B. 94. Aug. 16. Mg. Old Glover house site
M. Nov 28 94. Mg. C. cleaning N. N. Reason Sen
M. 95 Jan 15- Mg. " " S. " "
Hillside St

Sept.

B94. Aug 11. Veg. t. along road W. Bald Rock
" " " " c. SW. slope Fox
B94 Aug 23. Clearing. boundary line W. beyond end of road below Hillview Road
B. 94 Aug 24 Veg pasture E. Babcock R. road

Berberis vulgaris.

B. c. Glovers Hill; June 10, 1894

Sambucus nigra

B. 94 Aug 24. H. W. alte Gärten neu tot

5

1 Berberis Bulgaria

M. 94. XI. 28. Mq. c. Ridge W. Cranberry Pond.

M " " " " c Run S'end N. Res'oir

M " " " " c Near Pepe Gonet cellar

M. 95. Jan. 15. Mq. o Valley NE N'~~ant~~ Dam

Bellaris Villaris, I. 7

B. h. c.

Specimen hederulae.

Berberis vulgaris.L.

W. c.

200/ Dry Rot Coll.

Barbe ir bulgeris,
common Barberry
especially on the fruit
Official Photo

5 3 41

B. 94 Sept. 3. Mg. o. Valley So. Rattlesnake—

B. 94. VIII. 15. WH mq. Saw cut Notch well (LLD

Betula lenta: 1-10

B. O. In Herb.,
Ravine near summit of B. H., Wilton
Sept. 24, 1887 & May 26, 1888.

Betula lenta, L.

I have little doubt that this is called Shingle Tree Falls. I can not identify it all as various with that of Pine Hill, near the foot of the hill, and a few others in the higher hills & Bear Hill.

Betula lenta, L

More common, more generally distributed, and found more frequently in dry slopes and in ledges than in B. Seldom in large numbers in one place. There are fine trees along Quinn & Flagg's Walks

M-Q.S.E. 15 Mg. O. clearing South of N Res'oir

M. " " " " C: Edge of S' Res'oir. ~~Cedar~~ Rock

9' Noted in two localities. Distribution similar to that in M

S.94. N.N. Mg. Ledge on N. side meadow N.W. Bald knob

Bernalillo Co.

M. 95. I. 15. Mtg. Near ~~Cottage~~ Molley's Spring.

Betula lenta, L. β

coll for

Betula lenta, L. 10

M. A large tree of this species stands near the road that goes up Bear Bree on the East side.

In June 18. 85 - Ivy Flag & Owens visit.

Betula lutea, Michx. f.

B. c. Glovers Hill; June 10, 1894.

Less common than the Black Birch, only noticed along Flagg's walk.

Betula lutea, Michx.f.

Mx. f. M. 23-24.
Woods off Elm St. B.-14.
abundant in low woods I-J. 27-28
Also several large trees by the upper dam.

M. 95. Jan 18. Imp. 2 Flags valle

Betula lutea, Michx.f. 4

Not common - A few very good trees of this species grow along a brook south of Pine Hill, West Point

Betula nigra, L.

B. Ann. 15 94, 4 fr.

Betula nigra, L. 1-2

Betula papyrifera

M 94. Aug 4. Mg. r. to edge of pond NW Cascades.

M-94 Nov. 28. Mg. one tree W. edge Cranberry Pond.

Betula papyracea, Ait.

Do not think it is found in the Falls. It is probable, I could, at least have seen it, but I have a vivid recollection of not

1-8

'Betula lenticifolia Ait

B. 94. Sept. 3. Mg. c. Valley S. Rattlesnake

M. 94. Oct. 28. Mg. c. Valley W. Cranberry Pond

[illegible]

2 7 4 2

B. 94. Weg 11. Weg 7. in die Bahn Kobe-Jam. C. in d. mont
Grown ufpachtung N. W. Bahn Kobe.

Betula papyrifolia? Ait.

[illegible] As common in swamps, less common in open ground than *B. Onhultiana* in Sierra Nevada. Presumed in rock occasionally.

M. 94 Aug. 4 Mg. Woods NW. Cascades.

M. 94. Aug. 4 Mg.

[illegible] Less common in swamp ground

Betula caerulifolia, Air.

94. B. B. Mg. Not generally distributed but frequent in wet ground and coming into the edge of pasture near south boundary and west of the upper pond.

Betula ~~alba, L. var.~~ 6 populifolia, Ait. ~~Spach~~.

Betula alba, L. var. populifolia, Spach.

Betula populifolia, Ait.

M. c.

Betula ~~alba, L. var.~~ populifolia, ~~Spach~~ Ait.

B. c. Glovers Hill; June 10, 1894

Fidens Beckii, Torr.

Bidens Beckii, Torr.

B. In stagnant pool Sept. 3/94

W. P. Rich.

B. 94 Sept 3. Mg r Monatognot Stream. coll fl M. L. F.

Fidens cernua. L.

W. . abundant in ditches and meadows around Spot Pond.
Sept. 20 1914. coll L.

Pidens connata, Muhl.

Jn. Common in ditches and meadows around Spot Pond. Sept. 20/94.

S. Beg. Sept. 20/94. coll.

P. M. c. coll. Sept.

S. c. coll. Sept. 20/94.

[2] Fidens frondosa, L.

M. c. in low ground and meadows.
S Dump Dry Sept 11. 2 vol 21.

M. 94.IX. 20. W. P R. Stoneham. Window S. of Bear Hill vol 1

Bidens frondosa, L.

B. Sept 3 '94 Mg. near Craigbrook Station Z. coeg

M.L.F.

M. Aug 4 Mg. c. wet places, i W. Concord

B. 94 Sept. 3. C.G.F coll. ft

Boehmeria cylindrica, Willd.

F. Long stream in Virginia Woods

To. qu. c. 3. wh. mg. Cedar Swamp. coll. fl L.L.D

1-3

Boehmeria cylindrica, Willd.

B Sept 3 '94 for [illegible]

BB 1884 s wrad p. 16. wet shady ground by brook N. of [illegible]

M. Aug 4 74. Ag. n. Valley E. McCook [illegible]

Boehmeria cylindrica, Willd.

M. Bed of brook west side South Reservoir
20.7-8. July 23/94.

W. P. Fitch

Borrago officinalis, L.

Botrychium lanceolatum, Angstrom.

M. Coll. Dana years ago by L. L. Dame
(Fide S. L. D.)

Botrychium matricariaefolium, A.Br.

[illegible] Very [illegible]. Possibly out of mineration
near Sh. It was 15 rods so of winding path S. [illegible]
of Hill

B. 94 Aug 23. swamp head Chestnut Sw a single plant [illegible]
this - referred to Dr Dow.

M. Coll. once by F. W. Morong (Fide E.R.D.)

B r A r [illegible]

B

B

Botrychium ternatum, Swartz.

13

1-2

Botrychium ternatum, Swartz.

B. 94 Aug 23, Mg. T. Pasture just w. Pine Hill

B. 94 Aug 23, Mg. T. Pasture just w. Pine Hill

1-2

Botrychium ternatum, Swartz. var. dissectum, Milde.

B. 94 Aug 23. Pasture just over line Greenman Pine

B. 94 April 19. Pine Tree Brook valley near Indian Camp

Bcm Herb J. R. ...

2

Botrychium ternatum, Swartz. var. dissectum,
Milde.

B. r., In Herb. W. Q., Sept. 9, 1894.

Botrychium ternatum, Swartz. var. obliquum,
Milde.

1-2

Botrychium ternatum, Swartz. var. obliquum,
~~Milde.~~

B. O., W. Q. Sept. 9, 1894.

Botrychium Virginianum, Swartz.

M. 9 ft. m. 16. Reported in Herb. G. F. Perry June

1-4

Botrychium Virginianum, Swartz.

B. r., Head of Great swamp, by the spring; W. Q.; June 10, 1894.

B. r. 95. Jan 14. J.R.W. E. side G.S. swamp

4

Botrychium Virginianum, Swartz.

W. Seen again on this season in shade & bog near South end of South Reservoir. July 7/94. coll. 11.
Z-7

B.B. 94. May 26. one lf. found + coll on knoll in thick woods E of Dr Bell's house

Botrychium Virginianum, Swartz.

O. Earlein Fells

Brachyeltrum aristatum, Beauv.

B. 23. VIII. 94. W.H.M.

Brasenia purpurea Pursh

Brasenia peltata, Pursh

2

F. C. Sport Pond.

Brassica alba, Gray.

Brassica campestris, L.

Brassica nigra, Koch.

B. In Herb. Glovers Hill (33-9.)
July 14, 1889.

B in Herb T.R.C.

Brassica Sinapistrum, Boiss.

B. In Herb., Willard St.; W. Q. ? July 4, 1891.

B. O. in Herb. J. R. C.

Briza media, L.

Bromus ciliatus, L.

M. Melrose, rockwoods N. of Cascade. 28.VI.94.
W.P.R. no. 231.

Bromus ciliatus, L. 1-3

B. f., B. H., Wilton, S. slope.

Bromus ciliatus, L. 3

J. Lacaita

Bromus secalinus, L.

M. Winchester, M. F. Reservoir, a single plant in a pasture, 23.VII.94. Yo.P.R. no. 379.

M. r coll. spicatus

1-3

Brunella vulgaris, L.

B. c. Glovers Hill; June 10, 1884
W. Q. " 18, "

B. M. c. Scribner

Brunella vulgaris, L.

In open places in woods and fields

Bridge 11 94 Mg. Co. Mt. Babel Rock

Mt. Pleasant 4-94 Mg. Co. along path near woods NW Cascade

B runella vulgaris, L. 3

B. J. C.

Budura rigora. 1-2 Rumex. Grays Man. 6th Ed.
In. Roadside. K-L. 24-25. May 1914.

M. L. Rick.

L. M. Gill Brookings

Buda

Leptogonum rubrum, Fries.

f. b. alnus viridis

Bupleurum rotundifolium. L.

Baxbaumia aphylla, J.

F. Cascade. U.S. Jump Spec. in Herb. Mich.

Exsic. Not Sent.

fff

Buxus sempervirens

B. 94 Aug. 21. Mg. Park's nurse.
planted in garden, but nearly dead

Calamagrostis Canadensis, Beauv.

Calamagrostis Nuttalliana Steud.

B. 3. IX. 94, W.H.M.

B. 94. Feb, 3. near Hemlock Bound

B r cpvd

Calla palustris, L.

1-2

B. Sept 3 '94 Mg. Fr. & Y. coll Cedar Swamp. G.G.K

B. 94. 9. 3. Mg. O. Cedar Swamp.

Sardines or Cypress Swamp.

2

1. Calla palustris, L.

7. Stream in Virginia Woods.

B. 95. Jan. 14. 4' TRW. Bog beyond the hills beyond Wampahuck

7fb

1-3

Callitriche verna, L.

M. Stoneham, ditch near Spot pond 4.VII.94.
W.P.R. no. 322.

M. 1883. very c. [illegible] in 4.6. W.D.
B 1894 15y 34 l. evidently covered in [illegible]

Callirtriche verna, L.

M. f. in der Flut ovale Früchte [illegible]

Callirtriche, verna, L.

Calopogon pulchellus, R. Br

Near Houghton's Pond.

T. 0 in Herb. [illegible]

2

C alopogon pulchellus, R. Br

B. a. In Herb. Milton; 1882
Bogs about Houghtons Pond

Carex paludosa L. 1-4

B. C. June 10, 1894, Glovers Hill
swamp

Caltha palustris. L.

v

1

B

B

B

Cruciata pulmaria. L.

B. f. d

f. g. f.

Sc. ac palustris. L.

M f Abundant in bog N.E. side of Bear Hollow. Sphagnum in Dec.

Calycanthus alpinus asperum

B. 94. Aug. 21. Mg. Park's house
planted and spreading in banks about and
below trellises at N end house

1 - 2

Carlsruhe, Karlsruhe, Pirsch.

1888. [illegible]

Familia superiorilor, Parch.

F. O.

Campanula divaricata Michx

B. 94. Aug. 11. Mg. Parks nursery

planted in garden

Carella Tract - Pastoria, Foech.

B. S. C. especially along roadsides

Capsella Bursa-pastoris, Moench.

B. c. June 10, 1894, Glovers Hill.

Capsella Bursa-pastoris, Moench.

W. C. Radcliffe, Jaffa and Jericho

Jan 05 - Feb 06

Cardamine hirsuta, L.

Cardamine hirsuta, L.

B. c. in brooks & shaded wet places. June 10, 1894.

B B. 94. VI. 3. H.A.H. N. Trapelo Road. coll. JRC.

Cardamine hirsuta, L. 3

B. F. C. along streams

Cardamine hirsuta, L. var. sylvatica, Gray. Gaud.

3

Cardamine hirsuta, L. var. sylvatica, Gray.

M. S. Longrounds May 27/94.

A very slender form with simple few leaved stem + 4 in. high as found on rocks Bear Tree Hunkara

W. A. Clark

Cardamine hirsuta, L. var. sylvatica, Gray.

4

S. f on rocky hillsides

Cardamine hirsuta, L. var. sylvatica, Gray.

B. C. in dry or rocky places. In Herb. from summit of Great B.H. & the W. Q. Hills. A pretty plant, very different from the type - =("C. parviflora," Manual, 6 ed. F. 65.)

Cardamine rhomboidea. ☆6.

S. March 93' H. A. Purdie

Found this plant in the Ivory Brook Res. Muddy Pond Woods Chesuncook in June 1893, frequent to occasional.

S. C. Bot. Q. H. A. Purdie.

Carex bromoides, Schk.

Mt. (Pine Hill) 7.VI.94. F.S.C.

Carex bullata, Schk.

B. O. In Herb., W. Q., June 29, 1888

Carex bullata, Schk.

B.94. Sch. 3. Inf. c. Cedri Suec.

Carex canescens, L.

B. C., Glover Hill; June 10, 1894.
M. C., Medford; " 14, 1890,
In Herb.

Second Conference with Mr.

M.

Carex canescens, L. var. vulgaris, Bailey.

BB. 26.v.94. CWS.
M. 26.V.94. F.S.C.

M coll BB

Carex cephalophora, Muhl.

Im. 3.VI.94. F.S.C.
BB. 6.VII.94. C.W.S.

Carex communis, Bailey.

B. R. In Herb., near Fenno Hill May 17, 1891.

1-2

Carex crinita, Lam.

Ill. 3.VI.94. F.S.B. – 4.VIII.94. C.W.J.

BB. 26.V.94. C.W.S. 6.VII.94.

D. 11.VIII.94. W.H.M. 21.VIII.94.

M. 1883. near [illegible]

B. 94 Sept. 3. Mg. Cedar Swamps.

Carex crinita, Lam.

B. c. W. Q., June 24, 1894 —

~~Carex crinita, Lam. var. gynandra,~~
~~Schw. & Torr.~~

~~Sub~~ C. crinita. Lam. Lec Manual ES. 90. 601.
B. 24. VIII. 94 W.H.M., the form with oblong perigynia
& roughish sheaths.

B. N. coll.

Carex debilis, Michx. var. Rudgei. Bailey.

BB. 30.v.94 - G.W.S.
Mt. (Pinehill) 7.VI.94. H.S.G.

1-2

Carex debilis, Michx. var. Rudgei, Bailey.

B. C., Glovers Hill; June 10, 1894.

2

Carex digitalis, Willd.

1895. B. S.C.E.K. in Hero.

Carex digitalis, Willd.

B. C., B. Hill, Milton; June 8, 1890

Carex echinata, mun. var cephalantha

Carex echinata, Murr. var. microstachys,
Boeckl.

see C. sterilis Willd

Carex filiformis, L. var. latifolia, Boeckl.

BB. 26. V. 94. C. 10 3.

Carex flava, L.

Carex flava, L., var. graminea, Bailey.
M. Stinchcam, E. shore of Spotswood 9.VI.94. Rich 185.

B.M.C.

Carex fœnea, Willd.

B. 11.VIII.94. C.W.S.

RB. 6.VII.94. C.W.S., doubtfully referred here. Culms 4° high (much exceeding the flat somewhat glaucous 2" wide pointed leaves) weak, reclining or prostrate; perigynia lanceo-ovate, margins moderate, thickish, nerves few but strong on both faces. Akene not small in proportion. Spikes either separate or aggregate, pale silvery brown, contracted at base. Grown in the open shade of a bush by cart-path E. of Trapeto St.

(over)

B. [illegible] 93. [illegible]

A peculiar form with broad obtusely winged perigynia, the nerves weak, was collected by Mr Rich at — He has the specimen in his.

Carex lacviflora, Lam.

Carex laxiflora, Lam. var. ~~intermedia~~ latifolia, Boott.

B. C., "Grag"; W. Q. (44-G.) 1891.

1 - 3

Carex laxiflora, Lam. var. patulifolia,
Carey

B. f. Glovers Hill; June 10, 1894.
In Herb., W. Q. " 26, 1887.

Carex laxiflora, Lam. var. Patulifolia,
Carey

M. 17.V.94. F.S.& M. (Pine Hill) 7.VI.94.

3

Carex laxiflora, Lam. var. Patulifolia
Carey

f. Virginia Mrs

Carex laxiflora, Lam. var. striatula,
C arey

Fells. (Pine Swamp)

Carex laxiflora, Lam. var. striatula,
Carey

M. 3.VI.94. F.S.C. M. (Pinchin) 7.VI.94.
BB. 30.V.94. C.W.S. 26.V.94.
M. (R.26 &c., woods) 27.V.94. F.S.C.

Carex lapiflora, Lam. var. varians, Bailey.

BB. 26. V. 94. Fernald. This is little more than a robust striatula, approaching varians - Spikes subcompound.

Carex lupulina, Muhl.

M., 4. VIII. 94, W.H.M. 15. VIII. 94. — 4. VIII of. C.L.
B. 15. VIII. 94. W.H.M.

M. 1883. Shady swamp Bank. W.H.M.
B. Aug 1894 Hog R. W.H.M. Sluyter Fox

Carex lupulina, Muhl.

B. C., W. Q., June 24, 1894.

Carex adusta, Boott. = C. fossea, Willd.,

the latter the correct name for this region.

Carex folliculata, L.

B. 21. VIII. 94. W.H.W.

B. 1888. C. 30 4 25 Longstreet

B. 94 Sep. 3. Mp. 7 Cedar Swamp

Cardus Marsh.

P F

1-2

Carex folliculata, L.

B. C. W. Q. June 18, 1894
In Herb., B. H., W. Q., July 4, 1885

1-2

Carex gracillima, Schw.

BM. In Herb. "Reservoir, Stone-
ham;" June 14, 1890 -

Carex gracillima, Schw.

Virginia Wood

Carex gracillima, Schw.

In. (Pine Hill) 7. VI. 94. F. S. C.
B 13. 26. V. 94. C. W. S.
In. (Virginia Wood, Spot Pond) 17. V. 94. F. S. C.

Carex interior Var capillacea. Bailey.

98. Jan 4. C.W.S. Letter "a name to substitute for one of the forms of scirpoides or stellulata var scirpoides Boott collected by yourself (Mig) 13. 16. VII 19 ? and about twice as tall as Bailey allows in his description and as he says himself "too taller" than any he had previously seen"

V

17

Carex intumescens, Rudge.

B. C., Glovers Hill; June 10, 1894

" " Swamp; 1891.

1-2

Carex intumescens, Rudge.

B. 15. VIII. 94. W.H.W.

Carex Laxiculmis, Schwein.

M. 27. V. 94. F. S. G. R. 26.

BB. 26. V. 94 Cl. S.

Carex lurida, Wahl.

B. C., Glovers Harbor; June 10, 1894
W. O.; " 24, "

Carex lurida, Wahl.

B. 15. VIII. 94. W.H.M. 11. VIII. 94. 21. VIII. 94.
B.B. 6. VII. 94. Clos.
M. Streetham, shaded by E. slope Bear Hill,
27. VII. 94. Rich 427. (Spikes oval & rounded).
M. 4. VIII. 94 C & T.
M. 1883. near 13 14. T Cl. scratground. in Herb. C. is
B. 94. Sh. 3. Mg. c. Cedar Swamp. c

Carex Muhlenbergii, Schk.

B. C., Rattlesnake Hill, W. Q.; 1891.
In Herb.

Carex muricata, L.

BB. 6. VII. 94. C.G.S.
M. Melrose, Low ground off Ravine Road 28.VI.94.
Rich 261. (The specimens from both these localities have the perigynia, at least in some instances, plainly 3-nerved on the back. Sp. sent to Prof Bailey).
Bailey says muricata with the nerves unusually strong.

Carex pallescens, L.

Ml. 27.V.94. T.S.C. 7.VI.94.
BB. 26.V.94. C.W.S. 30.V.94.

[illegible] Herb

Carex pallescens, L.

B. f. Glovers Hill; June 10, 1894.

Carex pallescens, L.

Fells Field Survey

Carex panicea, L.

B. C. Glovers Hill; June 10, 1894.

Carex Pennsylvanica, Lam.

B. c., W. Q., June 18, 1894.
In Herb., W. Q., May 17, 1890.

Carex Pennsylvanica, Lam.

Tn (Black Lion Road) 26.V.94. F.S.C.
B.B. 26.V.94. C.W.S.
B.B. 1585.

Carex polytrichoides, Muhl.

B. f., Glovers Hill; June 10, 1894.
In Herb., B. H, W. Q., " 17, 1891.

Carex polytrichoides, Muhl.

1866. b B.G.E. a Herb.

Carex Pseudo-Cyperus, L. var. ~~cornosa, Mx. Boott~~ i Americana, Hochst.

Mn. 4. VIII. 94. W.H.W.

Carex Pseudo-Cyperus, L. var. ~~comosa, Wm. Boott~~ Americana, Hot

B. f. W. Q., June 18, 1894.
Willard St., W. Q., (G.-51)

Carex vulgaris, Fries.= Rigida. v Evoluta

Meadow near Spot Pond.

Carex rigida Goodenough, var Goodenovii. Bailey

Carex rigida Goodenough, var. strictiformis Bailey.

Carex rosea, Schk.

M. (R. 26, woods) 27. V. 94. F.S.C. Pine Hill 7. VI. 94.

B. 1894. C. [illegible]

1 -)

Carex rosea, Schk. var. radiata, Dew.

B. O., In Herb., W. Q., May, 1890

Carex rosea, Schk. var. radiata, Dew.

J. cascade, Spec. in herb. Mack.

Carex rosea, Schk. var. radiata, Dew.

In. 4. VIII. 94 C.H.F.

Carex scabrata, Schw.

B. 11.VIII.94. W.N.W.

B Aug 1194 Ny O Valley west Crag

1-2

Carex scabrata, Schw.

B. r. "Crag" spring, W. 9., (E-46)
In Herb., June 17, 1891.

1-2

Carex scoparia, Schk.

B. 11.VIII.94, W.H.M.

Carex scoparia, Schk.

B. In Herb. 1894.

Carex siccata, Dew.

1-2

Carex sparganioides, Muhl.

B. O., In Herb., B. H., Milton; 1885.
M. O., " " Forest St. 1888.

J

2

Carex sparganioides, Muhl.

Sterilis, willd.

Carex ~~Echinata~~, Murr. var. microstachys, Boeckl.]

BB. 26.V.94. CWS.

stylis, Willd.

Carex ~~echinata~~, ~~Murr.~~, var. angustata, Bailey.

M. Streham, border of bog N. side Deerhill.
5. VI. 94. Rich 128. (Sp. too young, but seems nearest this).

Carex stipata, Muhl.

B. C., Glover's Hill; June 10, 1894.

C arex stipata, Muhl.

B 13. 26. V. 94. Aus.

Carex straminea, ~~Sehk.~~

M. 7. VI. 94. H.S.C.

Barry 1894 Mg O. Road near Sullivans Quarry

Carex straminea Schk, var.

Carex straminea, Willd. var. aperta, Boott

B - 1 1 1 4 5 9 4

Carex straminea, ~~Schk~~. var. mirabilis, Tuck.

BB. 6.VII.94. CWS.

B.C. ft of Glacier Ho[illegible]

Carex stricta, Lam.

BB. 26.V.91. tOC.S.

BB. 1887 C. 6-7. BC.

Carex stricta, Lam. var. decora, Bailey.

B.B 1889. [illegible]

Carex tenella, Schk.

B. O. Cedar swamp; W. Q. 1890

Carex tribuloides, Wahl.

BB. 6. VII. 94. C.W.S.

[illegible]

[illegible]

Carex trisperma, Dew.

B. O., Cedar swamp, W. Q.
In Herb., July 4, 1891.

Carex umbellata, Schk.

B. r., "Crag", W. Q. May 9, 1891.
In Herb. (44-H.)

Br. in Herb. J. R. [illegible]

Carex umbellata, Schk.

1805 E. Bot. t. 1201

Bunker Sc.

Carex utriculata

[illegible]

1-2

Carex varia, Muhl.

F. Virginia Wood.

M o

J Carex Vahlii, Schk.

M. Jack

Carex varia, Muhl.

Chebacco Lake region N.Y. 94. W.P.R. No. —

Carex virescens, Muhl.

B. C., Glovers Hill; June 10, 1894.

3

Carex virescens, Muhl.

B. 11.VIII.94. W.H.W. ~~Var. costata. Muhl, 11.VIII.94. W.H.W.~~

Carex virescens, Muhl.

J. Slender form, near Concord, Spec. in herb. Mud.

1-4

Carex virescens, Muhl.

B. Falls.

[illegible]

1895. [illegible]

B Aug 1894 My O. Road near Sullivans Quarry
B. Sh 3 94 Mt. Cuba Swamp

B. Falls — Herb [illegible] M.O. in Herb N.Y. [illegible]

~
Carex virescens Muhl, var. costata Dewey.

B. 1890. c. near 2 3 S. [illegible]

Carex virescens, Muhl. var. costata,

B. f. Glovers Hill; June 10, 1894

In Herb., B. H., Canton; " 1890

1-Y

Carex virescens, Muhl., var. costata, Dewey.

B. 11. VIII. 94. W.H.W.

Carex vulpinoidea, Michx.

Noted in one locality near water

Carpinus Caroliniana, Walt.

B. c. In Herb., Milton; July, 1886
(36-G)

Carpinus Caroliniana, Walt.

B. Sel. 1. 394 pt. C.F.

1. 1883 S. W. of Pond. Roadside. Saw several specimens round the Pond in Herb W. D.

B. 1889 [illegible]

B. 95. VIII. 15. Wthm. Pine Tree Valley with Coll jr. – L D

Carpinus Caroliniana, Walt.

4

I fuller were tree
in the Falls. I recall a
few Hartford specimens
below the road falls between

Carum Carvi, L.

M. In Herb., Forest St., Medford,
June 14, 1890.

B.94. Aug. ii. Mg. f. Valley S. Rattlesnake

Carya alba, Nutt.

Carya alba, Nutt. 1-4

Carya Americana

B. Eq. Aug. ii Mg. r. valley. N. Fox

M. 9 4. Aug. 4 Mg. r. Woods N. W. Cascades.

Carya amara, Nutt.

Carya amara, Nutt.

/ - 5

Carya porcina, Nutt.

Carya porcina, Nutt.

Carya porcina, Nutt.

Ph. f. as a small tree or shrub on
rocks, marked [illegible]

Carya porcina, Nutt. 3

B. c. Glovers Hill; June 10, 1894
In Herb. from several trees just
without the Reservation, e.g. —
"Brush H. Road, betw. B. H. Av. & Canton Av."
etc. —
I should say the most common
Hickory in the Reservation —

Carya tomentosa, Nutt.

Carya tomentosa, Nutt.

Carya

4 M M 3. The distribution of the Hickories seems to be much the same in this reservation, as it is in the Blue Hills, excepting that they are not a marked feature of the hill tops, and that noted in the edge of the old pasture South of the North Farm was 6 ft in circumference.

9 A B 1 Scattered among oaks & other trees as in other reservations.

Carya

Growing with other trees in the north section.

Cassandra Calyculata, DC.

W. L. Borders of ponds and meadows.
Border of Dobson Pd. May 30/94.
Bog. Aug. 8/94.
Meadow West of Shot Pond. Sept. 22/94.

S. Borders of Muddy Pond &c. Sept. 4/94.

v

Cassandra calyculata, Don, Leather-Leaf.

Common in wet boggy places

Common in wet boggy places.

Mr. 95. I. 18 Mg. c. Cedar Island of Cedar Swamp—

Common in wet boggy places—

Cassandra calyculata, Don.

Stony Brook Aug. 18, 94. C. G. F.

sativa, Mill. 1-9

Castanea ~~vulgaris, Lam.~~ var. Americana, Wood.

B. C. Glovers Hill; June 10, 1894

In Herb., Milton; 1887—

Castanea vulgaris, Lam. var. Americana, A. DC.

Castanea sativa, Mill. β. Americana.

M. f. Small trees frequently met with in woods and a grove of large trees in flower Jul. 4/94 in Melrose about 1/4 - 26.

Sect. 9 Fl. Cal.

Castanea vulgaris, Lam. var. Americana, A. DC.

This tree is rather rare.
I have not seen it in Mendocino, and it is rare in Humboldt, and it is rare in Siskiyou and Del Norte Counties.

Castanea sativa, Mill.

This tree seems almost wholly confined to a limited section in the northern part of the reservation where, I am told, there a few old trees and some seedlings.

Castanea sativa Americana

B. 94. Aug. 11. Mg. O. road west Bobcat Rock

Catalpa bignonioides [illegible]

B. 9 p. aug. 21. Mg. Park's House.
planted near S end garden but not vigorous

Ceanothus Americanus, L.

5

In some parts of the woods good sized patches of this plant occur & it becomes an important ground cover, but it is not generally distributed. It is usually in shade on dry slopes but it is also found, will grow well in more or less dry field.

Found under the same conditions as in M.

S. Pk. Grn. Ky. C. Hubbard

7. Ceanothus Americánus, L.

7. Near Bear Den.

Deutsch-Amerikaner, [illegible]

[illegible]

Lieferung.

Ceanothus Americanus, L.

N. C. abundant in open places in woods

Ceanothus Americanus, L. 3

S. June 15 Wm. [illegible] coll n. S H

C. July 9. 90 Wm [illegible] coll fr. S H.

M1 SW of Pond 583 Roscoe

1895.3

M. Aug 4. 94 Mg. o. woods road NW. Cascade

B. 94. 1. 3. Mg coll. E. H

Roadside

Cantharus Americanus

B. 94. Aug. T.. Mg. O. road W. Babel Rock,

1-8

Ceanothus Americanus, L.

B. C. In Herb. W.-Q. 1891.

Celastrus scandens, L. 4

S. 1.

Celastrus scandens, L.

W. O. In woods on the East Border of the North Reservoir. Aug 8/94.
East side of Bear Hill Elmeham.

Celastrus scandens, L.

F. Dec. 16.94 Mrg. W' slope Chickatawbut Hill

Centaurea Cyanus

B. 9 y. Aug. 21. Mg Park's house
planted in garden & persisting apparently
from seed

Centaurea nigra, L. 1-2

B. In Herb. from 30-I, just outside the line.

Centaurea nigra, L.

W. · Southern shores of Spot Pond. Aug. 19/94.

W. P. Rich

B.94 Aug 23. n. upper Manitoquot Pond corner lower Manitoquot Pond
B.94 Apr 19. Inq. + Duck Pond

Cephalanthus occidentalis, L.

Tr. Aug. 4. 94 ♀. Mg. in pool W. Cascade

B. 94. Aug. 21. Mg. c. Duck Pool.

B. 94 Aug 22. Meadow & Beach Run

N. 94. Nov-7 & Mg. in Ebb pool S.E. Burnett Inl

B. 94 Sept. 3 C. S F coll ♀

M. L. F.

Cephalanthus occidentalis, L.

M. J. Borders of swamps and ponds.

D. & R.

Cephalanthus occidentalis, L.

10.

Cephalanthus occidentalis, L.

B. f. In Herb., Blue Hill R.
(fruit) Nov. 2, 1888

Cephalanthus occidentalis, L.

Middlesex Fells. pond E. Melrose Reservoir,

aug 4. 94 W. H. N.

Cephalanthus occidentalis, L

[illegible] This is usually the first shrub to become established in bogs & often covers a large part of their surface. It will not persist long in heavy shade or in dry soil.
M. 95. I. 15. Mg C. In Little Swamp.

S
[illegible] same as in M.

R3
[illegible] same as in M.

Cerastium arvense, L.

B. 94. VIII. 21. W.H.M: coll fr. Top Hill probably (from JRGS.

Cerastium nutans, Raf

B.B. q.f. vi. 3. Hallcock. fe.

JRW.

1-4

Cerastium viscosum, L. = *Cerastium vulgatum L.*

1895. F. [illegible]

[illegible] JRC M. f. S. o Fieldn.

Cerastium ~~viscosum, L.~~ vulgatum, L.

B. C. June 10, 1894 —

Cerastium ~~viscosum, L.~~ vulgatum L.

B. f. c.

Cerastium vulgatum, L. 6th Ed. Manual.

W. C. in woods, paths and Ear ground

S

M. 94 Aug 4 Mg. O. roadside N-W Cemetery

B. F. Grows in several swamps in W. Q., e.g. the great swamp E. of Glovers Hill June 10, 1894. Some large trees still survive a brutal clearing on the path from B. E. R. towards Glovers Hill, (about 42-U)

Will the present Owners have any more respect for them?

In Herb., W. Q.; 1888 & 1891.

1 - 5

Chamaecyparis sphaeroidea, Spach.

B. 1884. C. ft of Greenfield Swamp.

L. O. Nash W.D. 4 5 K. Mr BB. Swamp.

Cranmacc-ypeania ephaeridea, Spach.

[illegible] Sporadically confined to the small island in Cedar Swamp which is referred to in the notes. It is said to have been growing at one time in the meadow, now cultivated a month west of Bear Hill

Mr. 95. I. 18. Mq c. Cedar Island

[illegible] "There are positions which appear to be favorable to its growth in this reservation but it was not noted.

Chamaecyparis sphaeroidea, Spach.

A rare tree - I recall
a single tree in the Cedar
Creek State Forest [illegible]

Chara fragilis Desv

BB In the upper pond, G.W.B.

Chelidonium Majus, L.

B. B. Jan. 26.94 all Veg. C. road bank + open land S/E. Inner St. + about all old buildings + also wooden ones there in S.W. on N. section also on edge Thrapston Road + N. St on S side

1-3

Chelidonium majus, L.

W. o Rocks near old Mine off Pond St. Mt = 24
June 28/94.

— F. P. Rich.

Mo. BBc coll

Spellonia Heights, T.

F. F. especially near old house.

Chelonias Mydas, L.

B. f. Swamp N.E. of Glovers Hill
June 10, 1894

W.Q., June 18, 1894 —
B.H.R., Sept. 9, "

Chicago Drainage Canal.

F. c along streams & Lands

Circle Clair, J.

M. o. Dark-ground bands of Anaemia.

Cleome Lutea, T. 1 - Y

B. B 1883

B. Aug 11 94 Mg. R. Furnace Brook N. Babel Rock
B. Babel. 3 - Mg. o, near Bridge Foot Spring
M. 94. Aug 4. O.. moist places at end valley E. Hubbard's

B o ... M. f. B o ... wet places

Chenopodium album L.

In. Roadsides and old cultivated ground.

M. 94. IX.20. Stonham, Roadside near Bear Hill. coll

W. P. Rick.

Afrodisiac Club

Tue, 12:44

Chenopodium ambrosioides L.

Chenopodium hybridum, L.

B. Roadside, Sept. 3/94.

W. McK.

Chenopodium murale L.

B. 94. IX. 3. West Lindsey. Old cultivated field

Jan. 95 W. P. Rich

Coll 1

Chimaphila maculata, Pursh.

B. O. Hancock Hill, Aug. 5, 1894
In Herb., Milton, B. H., 1882

Bibliothèque Nationale, Paris.

[illegible]

B o [illegible] T. R. C. N° 7. [illegible]

Chimaphila umbellata, Nutt.

B. c. Glovers Hill; June 10, 1894
Hancock Hill; Aug. 5, "
In Herb., "Blue Hill"; Oct. 30, 1887.

Chimaphila umbellata, Nutt.

S. Ogden & Gil. Mtn.

B. Aug. 21. 94. Mg. f. Buckhill pasture

M. Aug. 4. 94 Mazo. woods N W. Cascade

Chimaphila umbellata, Nutt.

Mr. J. Scallion

Mass. Mts. P.O.

Chimm aphila umbellata .Nutt.

W. Woods' Melrose G-N. 14-15.

July 4/94. in fl.

M. L. Rick.

Chimaphila umbellata Nuttall

Stony Brook.	July 9, 94	H. A. H.
Blue Hills.	Sep 3 "	P. G.

Chrysanthemum Leucanthemum, L.

M. c. Roadsides, mowed-paths, fields and clearings in woods.

Prof. F.

B Aug 11 94 Mg R. Road near Sullivan's quarries
B. Aug. 15. 94 Mg. c. Near source Belcher Brook
M. Aug. 4. 94 Mg. o. About Hemlock Pond.

Chrysanthemum Leucanthemum, L.

B. C. Glover's Hill; June 10, 1894

L

Chrysanthemum Leucanthemum, L.

B. J. C. in open places

Chrysanthemum Parthenium, Pers.

B. 94. Aug. 21. Mg. coll. H. Parks house. Planted in bed near house - growing near house as a weed, spreading from seed. M L F

Chrysopogon nutans, Benth.

Chrysosplenum Americanum , Schw.

N. f. Virginia Mts. etc.

116

Chrysosplenum Americanum, Schw.

W. f. in Swamps and Brooks.

Chrysosplenium Americanum, Schw.

B. & Tu Herb. = Milton, May, 1891
(about H-37)

H.A.R. VI. 5.95 Coll

Chrysosplenium americanum, Schw.

Cichorium Intybus. L.

M. c. alongmaside des

Cichorium Intybus. L.

F. falcig madsides, etc.

Circolare N. 1.

B. Sept. 394

Cicuta bulbifera, L.

M. o. West border South Reservoir. July 23/94.
East border North Reservoir Aug 8/94.

W P Rich

Cicuta bulbifera, L.

f. f.

73. 94 IX. 3. W. H. M. Cedar swamp. com. fl E M. C.

73. 94. IX 3. P.G. Cedar swamp com. fl; E M. C.

f f b

Cicuta maculata. L.

B. F. c.

B IX. 3.94. c. 9. F. coll.

Cicuta maculata. L. 1-3

B. f. June 24, 1894; W. Quincy.

B. VIII. 10 : 7

Cicuta maculata. L.

M. f. in meadows and borders of ponds
M. 94. N. 20 Stoneham. W. border of Spot. Pond Coll-
Wmpl. Mich.

S. 14. VII. 9. H.A.H. co. ε c

S. 94. N. 15. W.H.M. col. Blueberry swamps ε ?

Cinna arundinacea, L.

B. ~~23.~~ VIII. 94. W.St.M. 11. VIII. 94

B. Aug 11 94 Mg. O. Furnace Birch N. Babel Rock

W. New Parkway

B Fruit

B coll.

Circaea Lutetiana, L.

[illegible] Aug. 11. 94 Mg. Ledge. V. Fox. Hill coll. E.F.W

B. B. R. 1884. 56. D. [illegible]

Baug 11 94 Mg. R. Ledge N Fox

B. Aug. 15. 94 Mg. T. Near twin holders.

M. Aug. 4. 94. Mg. r. woods roads N W. Cascade.

B.r. coll [illegible]

Circaea lutetiana, L.

W. O. Damp open woods off Lavoie Road.
in fl. June 28/94.
Damp woods V-20. in fr. Aug. 19/94

Dry Creek.

Clematis Virginiana, L.

B. J. F.

v

Clematis Virginiana, L.

B. Aug 1194 Wq F. Furnace Brook N. Baked Rock
B. 94. VIII. 11. Wormq! Bunker Hill Lane coll H. FZ.

Clematis Virginiana, L.

[illegible]

M. Aug 4 mp. n. wet places in woods N.W. Canada

W. O. Roadside near Rennie Road N-O. 24-28
June 28/94.
Landau woods No. End of Wrights Rd.
July 11/94.
Border of field back of Pumping
Station So Side Spot Pond. Aug 19/94.

W. P. Rich.

1-5

Clematis Virginiana, L.

B. c. June 10, 1894. Glovers Hill.

Clethra alnifolia L.

This plant is not as common as was nowhere noted as covering such large areas so thickly as it does in the Blue Hill.
M. 94. Aug. 4. Mg. f.: near moist places Woods N.W. Cascade
M. 95. Jan 18 Mg. c. Cedar Swamps
Common about pond

Clethra alnifolia

B. 14 Aug. 1. Mq. c. Valley S.W. Rattlesnake.
B. 94 Aug 23 Mq. Swamp head Chestnut Run
B94 Aug 23. Mq. dense thicket edge pond near top Wolcott

Clethra alnifolia, L.

B. C. Glovers Hill; June 10, 1894
In Herb.; W. Quincy, Nov., 1888.

Glatha. [illegible].

W. c. Border of swamps and ponds.
S. Border of Waiday Land.

Chemical Industries.

1. [illegible]
2. [illegible]
3. 1883 [illegible]

Clethra alnifolia, L.

Stony Brook, June 15, 94 C. G. F.
Blue Hills, Framingham, Aug 11, 94 C. G. F.

Clinacium Americanum, Brid.

[illegible] M.D. f. Bear Hills, [illegible]

Cnicus arvensis, Hoffm.

N. c. along roadsides, paths and in fields.

Crieus arvensis, Hoffm.

B. F. J. especially by madsides;
formerly Cnicus Fries

Cnicus lanceolatus. Hoff.

W. Border of swamp East side of Dearth Hill
Stoneham. Aug 5/94.

B. 94. Aug 11. Ivy. Meadow Valley Pine Tree Brook cult yd.

Cnicus lanceolatus, Hoffm.

Crocus lanceolatus, Hoffm.

Fl. b. especially along roadsides & in cult. grounds.

Spec. in Herb. Hook

JDH

Cnicus muticus, Pursh.

B. O. In Herb. W. Q., Aug. 1885.

C icus pumilus. Torr.

B. F. f. in open place

Cnicus pumilus. Torr.

M. Dry field. V-2. July 23/94. coll ft. 29 July 94.
Woods, N.E. slope Bear Tree

aug. 15
B. 9 t. ~~Lgt~~ 3. Mg. 0 Pine Tree brook Valley

Comandra umbellata, Nutt.

W. [illegible] Chickatawbut coll fl. W.D.

S. [illegible] coll fl. W.D.

M. 1883 May. C. by the road near 12 13 m fr. in [illegible] W.D.

[illegible]

B Aug 11 94 Hog O. N Slope Fox

M. Aug 4 94 Hog O. woods N W. Cascade

Comandra umbellata, Nutt.

B. P. c. in open places especially

Comandra umbellata a, Nutt.

W. c. in open rocky woods

1-4

Comandra umbellata, Nutt.

B. C., Glovers Hill, June 10, 1894
In Herb., W. Q., " 1891

Conium maculatum, L.

C. Lipsi 394 C.S.F.

Cnopholis Americana

Somehara. Mr Hitchcup

Spec in Herb U. S.

JH

Conopholis Americana

M. 95. Feb. M.E.C. in Herb. B.N.H.S. Stonehaven

Convallaria majalis :

B. 94. Aug. 21. 94. Park's house Pink & white variety
planted in garden

B. 7

Convallaria majalis. rose flowers

B. 94. Aug 21. Mg. Parks Store. planted in garden

Coptis trifolia Salis. 3

[illegible] Mg. Cedar Swamp coll fr FZ

[illegible]

B. 94. Aug 31. Ny. near Cragspoot Spring

B. 95. Jan. 14. JRW. Spring near Cedar Swamps.

Coptis trifolia, Salis. 1-5

B. f. June 10, 1894, Swamp
E. of Glovers Hill, W.Q.

Coptis trifolia, Salis.

W. Low ground in pine woods V-3. in fruit.
July 7 3/94.

Fr. P. Rich.

1. 2

Corallorhiza innata, R. Br

B. r. Collected in the spring under the "Crag" or W. base of Rattlesnake Hill — 189.
I think Mr. Deane has my specimens —

2

Corallorhiza innata, R. Br

B 1890 R. Spruce, foot of Cragg Woods. Herb. W. H

1896 B D & E in Herb.

M. E. L. Rand found it.

Corallorhiza multiflora, Nutt

B. f. Hancock Hill; Aug. 5, 1894
In Herb., B. H., Milton, Sept. 1890
" " W. Q. Glovers Hill, 1894

Coralloriza multiflora, Britt.

F. C. Virginia Mnd. Loreade region.

Spec. in herb. N. Y.

1 - 4

Corallorhiza multiflora, Nutt

B. Sept 3 '94 S Barnes coll. for. 9414

1884 P.D.R. Bear Hill

B Sept 3 94 Mg n. Woods SE Rattlesnake

B. Aug 19. 94 Mg. N. Pine Tree Brook valley in woods near Indian Camp

M. & A. Aug. 4. Mg. N. Valley E. Melrose Res'oir

B. G. T. July 22. G. H. S. in [illegible] becoming very bizarre by [illegible]

5

Corallorhiza multiflora, Nutt

No 0. Border of brook 2-25. in fl. May 30/94.
Woods North side of Bear Neck Aug 5/94.

W P Rich.

Corallorhiza odontorhiza

94. S. C.E Faxon

[illegible] Bear Hill probably [illegible].

[illegible]

B-94. Aug 11. Mg. O. Fireman Bar. N. Bowl Rock

B.94. Aug 11. Mg. O. Grown w/pasture S.E. Fireman Pass

M.94. Aug 14. Mg O. Woods NW Cascades

Cornus alternifolia L. f.

Appears to be more common and more generally distributed in dry & wet land than in other reservations.

~~Q + M: Aug. 1. Mq. f. in moist places near. Woods Mill Cascades.~~

Occasionally noted in moist places.

Occasionally noted in moist places

1-6

Cornus alternifolia, L.f.

1895. E. G.G.K. in Herb.

Cornus alternifolia. L.f

B. c. Glovers Hill; June 10, 1894

Cornus alternifolia. L.f

W. Wood-road P-20. 24-25 in fl. May 30/94.

W. P. Rick.

Cornus alternifolia. L.

Cornus Canadensis, L.

Cornus Canadensis, L.

S. June 15. 94. Alt. 2000 ft.

B. Sept 8' 94 2/.

B. 95. Jan. 14. JRW. grows sparingly along the path w' Cedar Swamp

Cornus Canadensis, L.[1-3]

B. r. Glovers Hill; June 10, 1884
In Herb. " " "

Cornus Canadensis. L.

Stony Brook, June 15, 94 C.G.F.
Blue Hills, valley N. Wampatuck, Sept 3d 94 W.H.M.
" " " " " C.G.F.

94. B. Aggr. li. Mg¹. v. Ledge N. Fox.

Noted in a ledge on locality. — v. Ledge N. meadow N.W.

Cornus circinata, L'Her.

P. Aug. 19, 94 bud

P. Aug. 19, 94 Lf. C. G. F.

M. Aug. 21 [illegible]

[illegible] F. R.

B. 94. Aug. 15. Mg. r. ledge S. Great Dome.

B 94. Aug. 21. Mg. o. Grown up pasture W. Parks house.

B. 94. Aug 24 Mg. R. W. slope Mt Blue

Wampatuck Hill

Cornus circinata. L'Her. 1-4

Frequent.

B. O. coll. ~~in the Field~~ M. 4 ~~11~~ S. 4

Cornus circinata. L'Her.

Mt. Rocky woods Cascade vicinity.

W. P. Rich.

Mag. VIII 4 Mg among rocks in [illegible]

Cornus circinata. L'Her.

Blue Hills Aug. 11, 94 C. G. F.
Middlesex Fells " 4 " W. H. M.

D 24. Aug 11 Mg [illegible] Road W. Brighton

3. 24 Aug 24. Mg. 7. W. Hove Chickenpox

B. 24 Aug 29. Mg. 7. near Wadhurst Woods + on Driell S.W.

Cornus florida. L.

B. C. W. Quincy; June 18, 1894
In Herb., B. Hill; Milton Sept. 1887.

Common Florida, L

This species appears to be more or common in the
Southern part of the reservation, where it was noted as being
quite abundant in some places:
M 94. Aug. 4. Mg. f. woods N W. Cascades.
M. 95. T. 18. Mg. c. on slope W. Hág's walk in woods
Noted here near the brook.
Mr. Nov Mg. 5 slope + valley S Rinkenwald Kiel

Cornus florida. L.

F.

Rather common in the region of Shot-Pond, Chesterfield, Stoneham

Tree

Cornus florida. L

. ome call it „the Wild Tulip Tree "

found in the woods around the Grave of B W. One tree left

on Highland st near Lake Deacon Samuel Adams's

Cornus florida. L.

Coll. Storey Co. Aug 18, 94. U. G. F.

B. 9 4. Aug. 11. Mg 0. Valley S W. of Fox. probably out of Reserv.

B. 9 4 Sept 3. Mg. 0. in Pinegrove Road S. E. Rattlesnake

Cornus paniculata L'Hér.

M., Mg. The shrub appears to be rather uncommon within our limits.

M. 95. I. 15. Mg. o. Near Little Swamp.

~~Same as in M.~~ Head meadow N. W. Bolkhov

Same as in M

Cornus paniculata, L'Her.

1865. B[illegible] in Herb

7

Cornus paniculata. L'Her.

B. C. Glovers Hill, June 10, 1894

Cornus paniculata. L'Her.

Cornus paniculata[6]. L'Her.

Stony Brook. June 15, 94 C. G. F.

Blue Hills, E. Great Dome. Aug 15. 94. W. H. M.

B.A.(c) Eng/11. Mf. f. Furnace Annals N. Hall, Lock

Cornus sericea, L.

This shrub is found occasionally in wet ground but is not very common.

M. 95. I. 15. Mq. C. in Meadow SE Indian Spring.

[illegible] same as in M.

[illegible] same as in M.

Cornus sericea, L. 15

B. C. W. Quincy; June 24, 1894

Cornus sericea. L.

P. Aug 16. '94 Gr —
S. June 15. '94. Lk. C & F
B Sept 3 '94 Tr C. & F.

Cornus sericea.L.

Cornus pericia L.

Bear Hills, Sep. 3, 94 C. G. S.

Corydalis glauca, Pursh.

B. f. Rocky summits -
Aug. 5, 1894, Hancock H.
In Herb.

Corydalis Claviculata, Pursh.

F. Aug 11.94

M. Aug 4.94

1865, B. & M. K. in Herb.

1894, M. P. B. [illegible]

B. 94. Sept 3. Mq. 1. Stream side ledge.

[illegible] Dry woods

Corydalis glauca, Pursh.

Ft. F. c. in open places on rocky hills

Specimen Flat Rock.

Coffin Lithe Co., Pitts.

M. c. on upland rocks.

W. P. Peck

B Aug 1894 Big R. ledge near Sullivans Quarry
M. & Eng & Hyl Ledge East Melrose Reservoir

Corylus Americana, Walt.

B. f.

B IX 3 14 / 3 : F

Corylus Americana Walt

[illegible] This is found in wet or dry places in open land. It recovers quickly after fire, but spreads rather slowly & it not now an important shrub in the ground covering. It persists for some time in shade but is eventually exterminated.

M. 94 Aug. 4 Mg. O. Woods NW. Cascade.

[illegible] same as in M.

94. NW - Mg. S. slope Milkweed

[illegible] same as in M.

4

Corylus Americana

B. 94. Aug. 11. Mg. O. Road W. Baker Rock.

W. 94 Aug 23. Mg. Grown up pasture S & Crossman Pines

B. 94. IX. 3. C.G.F. coll. jr.

L.L.D

M. 94. X. 28. Mg f. Ridge W. Cranberry Pond

Corylus Americana, Walt.

3

Corylus rostrata, Ait.

Leaf

Corylus rostrata, Ait.

B. r. In Herb., "Laurel Path" base of Glovers Hill (39-T) July 4, 1891.

B. 1895 Jan. 14. JRw. Path W side Cedar Swamp

Corylus rostrata, Ait.

Crataegus coccinea, L.

Crataegus ~~subvillosa, Schrad.~~
coccinea L. var. mollis. T. & G.

Kyrnos i Cette zaloda
g. Kunis i Kleen Bl. [illegible]

Crataegus oxyacantha L

B.B. 94. May 26. f. medium shrub of long arching
or stiff branches 3" dia. one inch or more
with hooked prickles flowers pl cult.

Crocus

B. 94. Aug 21. Mg. Park's house
planted in garden

1-5

Cuscuta Gronovii, Willd.

B. a. In Herb., W. 9. (39-a)

1894 –

Aug. 1894.

[illegible] coll. on rocks and shales with Lupinus carpalis Nuttall J. R. Ch.

[illegible] Aug. Fork of Great Horn coll. J. R. N.

[illegible]

M. 94. Aug. 4. Mg. o. NE Melrose Reservoir

B. 94. Aug. 23. Mg. Vicinity of Hancock Hill coll. on rocky serpentinous J. R. N.

Cuscuta Gronovii. Willd.

M. S. Bridge of Brook W-X. 27-28. Aug. 17, '97.

W. P. Rich.

B Aug 11 94 Mg. R. B. Ledger N. Fox on Solidago caterpillar

1-2

Cynoglossum officinale, L.

B. In Herb. Roadside, Randolph Av., near the Reservation — 1889.

Cynoglossum officinale, L.

11. 1893. [illegible]

1 - 2

Cyperus dentatus, Torr

Cyperus dentatus, Torr

B. 22. VIII. 94. Ct. fl.

W. Stoneham, W. shore of Spot pond 20. IX. 94.
W.P.R. no. 624.

W. Milton, border of Houghton's pond 3. IX. 94.
W.P.R. no. 557.

B. 94. T.I. 25. E.F. Williams. Houghton's Pond Coll. E.F.W.

Cyperus diandrus, Torr.

Hungerford's Pond.

Cyperus diandrus, Torr.

B. 22. VIII. 94. [illegible]

B. Strecham, No. end N. Reservoir 6. X. 94. W.P.R.
No. 639. A dwarf & capitate form. WPR

Cyperus filiculmis, Vahl

13. 1913 Tara 94

B Aug 1194 Dng R. Road W Babel Rock

B. 94. VIII. 25. E. F. Williams. Dry field near Naughton's Pond. coll pl. E.F.W.

2

Cyperus filiculmis, Vahl

BB. 31. VIII. 94 F. J. G.
B. 11. VIII. 94. T. W. H.
B. W. Quincy - gravelly roadside 11·IX·94. Rich 596.

Cyperus strigosus, L.

M., 4.VIII.94, W.S.M.

BB. 31.VIII.94. F.S.C.

M. Limeham, W. shore of Spot pond 20.IX.94 Z.P.R. coll. WPR

1-3

Cypripedium acaule, Ait.

B. F. Glovers Hill; June 10, 1894

In Herb., " " "

B. 95. Jan. 14. JRW. W side Cedar Swamp among Laurels

Cypripedium acaule, Ait.

[illegible] 15.94 [illegible] old fr. E. & R.

Aug 1894 B. [illegible] R. N. W. Slope Fox
13 Sept 394 Mod Rt Woods S. E Rattlesnake
B. 94 Aug 22 Reg. Dry Field in woods

Cypripedium acaule, Ait.

F. f.

Ffb

ra.

Cystoperis fergilis, Bernh.

F. f. n rocky cliffs.

116

Cystoperis fragilis, Bernh.

Cystoperis fragilis, Bernh.

In. r. Growing in the crevices of moss covered rocks. M-24. June 28/94.

Stoneham. Rocks boreder of Spot Pond Brook (Between Ravine Road and Pond)

coll fr.

W. P. Rich.

M.[9] [11] 16.

M.[9] reported also in Herb. G. F. Perry 2 localities. reported as Cystopteris !

Dactylis glomerata, L. ~

& L. c.

Dactylis glomerata, L.

BB 30.V.94. C.W.S.

B.D. [illegible]

1-3

Dactylis glomerata, L.

B. C.; Glover's Hill; June 10, 1894

B.M.C. Dist. Coll. 4.

Danthonia compressa, Austin.

B. 11. VIII. 94. W. H. M.
Mt. Melrose, Woods, Cascade region 28. VI. 94.
W. P. R. No. 234.

Danthonia compressa, Austin.

7. Near Beau Den Park 3 Lacoeade

Danthonia compressa, Austin.

13. Tree 14

[illegible]

1-4

Danthonia compressa, Austin.

B. O., In Herb., B. H., W. 9., 1884.

Dantonia spicata, Beauv.

B. 11. VIII. 94. Wtm. 23. VIII. 94.
B. Aug 11 94 Mg F. E Babel Rock
M. Aug. 4. 94. Ing. f. Woods. N.V. Cascade

Danthonia spicata, Beauv.

J near Cascade

Spec. in herb. M. S.

Danthonia spicata, Beauv.

B. Sept 3 94 Mq S.E. N.E Slope Manunpatuck

Danthonia spicata, Beauv.

B. C., Grouse Hill; June 10, 1894.
In Herb., B. H., M. C. Q., " 21, 1891.
" Quarry Hill " , July "

Daphne Mezereum, L.



Datura Stramonium, L.

Datura Tatula, L,

Daucus Carota, L. 2

F. C. near Sportsd. etc.

Daucus Carota, L. 1-2

M. c. in fields and roadsides.

Jan. 95 J. M. Rick.

M. c.

Decodon verticillatus

B. 94. Sept. i. Mg. f. Cedar Swamp.

B. IX. 3. 94. C. S. F. Cedar Swamps coll ff. E.M.C.

B. IX. 3. 94. Wi. Mg. Cedar Swamps.

S. 94. Mw. Mg. 7. about 11 end June coll. E.M.C.

Decodon verticillatus (3) Ell.

M. Border of Doleful Pond. July 4/94.
S. " Border of Muddy Pond. Sept. 6/94.

M. 95. Jan. 8. Inv. J. Eden Jr. [illegible] W. P. Peck

1-3

Decodon verticillatus, Ell.

1895 [illegible]

B. Sept. 3. 94. C. E. F.

Delphinium Consolida L.

M. In rubbish heap in urns, near Spit Pond. First observed in 1885, present for 7 years.

Dentaria diphylla Michx.

Le stanze della cinetica, Italia.

Deschampia caespitosa, Beauv.

Deschampia flexuosa, Griesb.

Deschampia flexuosa, ~~Griesb.~~

B. C., Glovers Flat; June 10, 1894.
In Herb., B. H., W. Q., " 21, 1884.

B. C., [illegible] TR.

1-3

Desmodium acuminatum, DC.

B. f. In Herb. Great B. Hill
(S. side) Aug. 1889. Milton

2

Desmodium acuminatum, DC.

Mt. Rocky open woods. V–VI. 28-29
Aug. 19/94.

W. F. Rich

M. 94. 8.4. Mg. r. S Melrose Resvoir 2-3 plants of a white variety.

Desmodium acuminatum, DC.

Desmodium Canadense, DC.

B. Aug 1194 Mg R. Valley S. Fox

Desmodium canescens, DC.

Fls. needs pods to fully determine -
B. H. by W. H. M. Aug. 15. '94

Desmodium canescens, DC.

Desmodium ciliare, DC.

1806. B [illegible] W. Hinside sc.

Desmodium ciliare, DC.

B. a. along Hillside St. in Canton Hamilton - In Herb., 1884.

1-2

Desmodium cuspidatum, ~~Hook~~. Torr. & Gray.

W. Rocky open woods. V-VI. 28-29.
Aug. 14/94.

S. Rocky woods Sept 6/94

B. Aug 11 94 Mg N. Pond

Desmodium cuspidatum, Hook.

B. C.

I first collected this species in W. Q. about 36-P, Aug. 29, 1889. In Herb. The unsparing axe of the thrifty farmer has since "improved" this locality & the plant has disappeared. But a few feet from Hillside St., in Canton, near Milton line, the plant is abundant & if not too often visited, is likely to persist - In Herb. 1889.

1-3

Desmodium Dillenii. Darl.

B. a. In Herb., W. 9., 1891.
About 38-R.
Nated, 1894, same loc.

Jasminum bilbaii, Barl.

B. Thicket by roadside. Sept. 3/94. Cec
West Ennicy / Border of woods
N. P. Rich.

Desmodium Dillenii Darl.

B. 1886. H. [illegible] Cascade woods, L.H.I. : H. A.P. 3.94 dent 3. No. 0 Pongaloong Road.

Desmodium Marilandicum, Boot.

B. C. In Herb., B. Hill, Milton,
1884 & 1889.

Desmodium Marilandicum, Foot.

1895. B G G, K

Hillsides Lk.

Desmodium nudiflorum, DC.

B. C. Aug. 5, 1894; Hancock H.
In Herb. W. 9.; 1888.
"Scape" often leafy!

Desmodium nudiflorum, DC.

[illegible] Aug 11 94. C.F.W.

R Sept 3 94 Gr

[illegible]

Aug 11 94 B. Mg. F. Valley N. Fox

F. N.W. Slope Fox

M. Aug. 4. 94. Mg. O. Woods roads N.W. Cascade.

Rattlesnake Hill

Desmodium nudiflorum, DC.

F. 7.

Desmodium canadense, DC.

Mr. Dan Lockwoods West border of
Pot Pond. Aug. 19/94. Coll 4.
Det. by M. L. Fernald.

Kaiserliche Deutsche Gesandtschaft
in Peking, d. 9. 11
B. Sept 2 f. 6 pr. C. G. F.

1-4

Desmodium paniculatum, DC.

B. f.
In Herb. S. side Great B.H., 1884.
Milton.
Also S. side B.H., Canton; 1889.

Desmodium paniculatum, DC.

M. F. Thin woods East border North Reservoir
Aug. 5/94. coll. fl
Rocky open woods V-W. 28-29.
Aug. 14/94.
S. Rocky woods. Sept. 6/94
T. J. R. L.

2

Desmodium paniculatum. DC.

B. Bldg 12.94

B. Bldg 11.94

Mr. 94 [illegible]

[illegible] Bldg [illegible]

1895 [illegible]

B. 94 Sept 3. Mg. O. Pinetum Road

C. W. Kinsolving

Desmodium paniculatum, DC.

Desmodium rigidum DC.

M. Border of woods East side North-
Reservoir. Aug. 5/94. 2nd ft.

M. P. Rich.

1-3

Desmodium rigidum, DC.

[illegible] 15 [illegible],

1895 T. G. & K. in Herb.

T. W. Coons.

[illegible]

Desmodium rigidum DC.

B. Abundant on S. side Blue H. above Hillside St. in Milton. In Herb., 1884 & 1889 — I have not observed it elsewhere.

1-3

Desmodium rotundifolium. DC.

B. C. In Herb.; Blue Hill; Milton

" " " " Canton

" " , W. Q.

2

Desmodium rotundifolium, DC.

Desmodium rotundifolium. DC.

M. In dry woods.
S. Dry woods, Sept. 6/94. ..... com'n

W F Ren

Desmodium rotundifolium ,DC.var.glabratum,Gray.

Deutzia gracilis S. & Z.

B. 94. Aug. 21. Mg. Parkinsonsen
planted in garden not thriving

Deutzia crenata Thbg

B. 9 x. aug. ii. Mg. Park's house

poor oblanceolate in garden

Deutzia crenata fl pl

B. 9 x. Aug 21. Mg. Park's Nurse

poor specimens recently planted in garden

Deyeuxia Canadensis, Hook.

see Calamagrostis Canalensis, Beauv.

Deyeuxia Nuttalliana, Vasey.

Su Calamagrostis

Dianthus Armeria, L.

Dianthus caryophyllus ♂

BB. Aug. 21. 94. Mg. Park's house
planted in garden

2

Dicksonia pilosiuscula, Willd.

B. Aug 1: 94. [illegible] C 97

B Aug 11 94 Mg. F. road E. Babel rock

B. Aug 24 94 Mg. Woods N. Blakemore

11. Aug. 4. 94 Mg. O. Valley, E Melrose Reservoir

Dicksonia pilosiuscula, Will.

B.C., Glovers Hill, June 10, 1894.
W.Q., " 24, "

Dicksonia pilosiuscula, Willd.

B. J. C.

Dicksonia pilosiuscula, Willd.

M. f. in damp woods. & base Rev. W. Strachan 9/4. VIII. 5. Coll. & tr

S. " " "

W. P. Rich

M. 9/5. III. 16. Reported. in Herb. G. F. Perry Aug (as D. punctilobula)

B. 94 Aug ~ 4. Inf. C Hofs Art/Blue

B 94 Aug 24 C. mem Centon Fus Enfantes

Diervilla trifida. Moench.

B. C. Glovers Hill; June 10, 1894
In Herb., B. H., Milton; July, 1882
" " " " Sept. 1887

6

Bigelovia triflora, Howell.

M. f. in rocky open woods.

W. P. Rich.

Dierodilla trifida, Moench.

Blue Hills. Aug 11, 1894. C.G.F.

— do. — Aug 22 " W.H.W.

Diervilla trifida. Moench.

Fl. Apr. 19. 94. Hud

Fl. Aug 11. 94 Sw. Co. Co.

Di rvilla trifida. Moench.

M 6.

Dierville trifida, Moench

M. Mg. It is more common in woods.

M Q 4 Aug. 4. Mg. O. in woods N.W. Cascades

[illegible] It is more common in woods.

Diphyscium foliosum, Mohr.

Fr. "High Rock" H. A. Young Spec. in Herb. M. D.

Drosera intermedia, Drev. & Hayne, var.
Americana, D.C.

B. J. c.

Drosera intermedia, ~~Drev~~ ~~and~~ Hayne, var.
Americana D.C.

M. f. in ditches and bogs. in fl. July 4/94.
M. 94. IX. 20. Stoneham, ditch in meadow W. of Spot Pond. coll. f.
W. P. Rich

1-3

Drosera intermedia, ~~Drev.~~ & Hayes, var. Americana, D.C.

1895, F. C.W.E. in Feb.

W. Houghton's Pond

2

Drosera intermedia, ~~Drosera~~ Hayne, var.
Americana, D.C.

B. f. June 10, 1894, W. Quincy.
In Herb. Aug. 1885 (about 4/1-9) "

Drosera rotundifolia, L.

QB Aug 11.94 Mg. coll ff. E. F. [illegible]

1895. B. G & K [illegible] Berl

B Aug. 15. 97. Mg. Valley N. The Narrows bulbs coll ff E. F. [illegible]

B. f. coll. [illegible]

Drosera rotundifolia, L. 2

B. Bog ... Sept. 3/94. W. P. Rick.

2

Dulichium spathaceum, Pers

M. 94 Rich

B. Fall 94

B. Aug 11 94 - O. Valley W. Craig

Dulichium spathaceum, Pers

L. Swamps near Bear's Den Path

1 - 3

Dulichium spathaceum, Pers

95 Feb. 13 Rec'd from J. R. Churchill.

B. C. B. H. R., W. Q., Sept. 9, 1894

B. C. coll. M. o Swamps

Dulichium spathaceum, Pers

Cedar Swamp

B. 3.IX.94, W.H.W. 11.VIII.94.

B. 94 Sept 3. Mg. C. Cedar Swamp.

M. 94. Aug. 4. Mg. O. In Fruit at N.W. Cascades.